



WishonGolf



2019



Dear Wishon Clubmaker,

Another season approaches, and it never ceases to amaze me how quick the new golfing year comes around. I am delighted to present the latest version of our full range of Wishon club components.

In addition to this year's new putter range – the Cavity Black - we have some new Wishon-branded accessories including golf bags, headcovers, a ball marker and a pitchfork. We also have a number of new design concepts being worked on with Tom, and these do include new irons – a question we have been fielding from several clubmakers. We cannot, I'm afraid, let the cat out of the bag yet...

A big aim for this year, is to continue widening the awareness and appeal of Wishon Golf among golfers. We want to provide all our loyal clubmakers with as many opportunities as possible to help golfers get the best fit and will be promoting this as much as we can through today's wide range of social media platforms. We therefore encourage all our clubmakers to retweet/share/like any messages we send out. Please sign up via the social media links listed on the page opposite.

Thank you for your continued support. I wish you a great season and look forward to working with you through 2019.

*Darren Treacy*

#### My Best Wishes to all my Good Friends in Custom Clubmaking

I continue to be amazed at how fast the time goes by and very proud of the work that Diamond Golf is doing with my Wishon Golf product line. With their toll-free phone line, brand new online store and their continued superb shipping policy, Diamond Golf are doing a very good job servicing clubmakers not just in North America but all over the world.

I am also well along with a brand new book that I am trying to enforce a self-imposed deadline to release it for Christmas 2019. The book will be a combination of one part memoir - stories of some of my fantastic experiences in working in club design and research for so many years, combined with a section in which I will encapsulate the most important things I have learned about the design, fitting and performance of golf clubs over the years. I hope when it comes out that you'll enjoy it as a cross between sharing some good stories with cementing the most important technical facts about golf clubs.



I continue to keep several 'irons in the fire' so to speak with the different directions I have found myself going in my product development and design work. I'm currently working on several different new ideas for clubhead designs with a big emphasis in my work right now on new iron models.

As always, my fingers still work fine on the keyboard and I do enjoy communicating with you all whether it be for answering technical questions and offering the best advice I can for your work. Don't hesitate to contact me for anything related to golf clubs.

*Tom Wishon*





# WishonGolf

WISHONGOLF.COM



@WISHONGOLF



/WISHONGOLF



/WISHONGOLF



/WISHONGOLFVIDEO

## CONTENTS

BOOKS	5
SHAFTLOCK CONNECTOR SYSTEM	10
DRIVERS & FAIRWAYS	12
919THI DRIVERS	14
919FD FAIRWAY DRIVER	17
929HS FAIRWAY WOODS	18
365PF FAIRWAY WOODS	20
730CL SET	22
FUTURE PRO JUNIOR SET	24
IRONS & HYBRIDS	26
STERLING SINGLE LENGTH IRONS	30
318RS HYBRID IRONS	32
775HS HYBRID IRONS	34
979SS IRONS	36
771CSI IRONS	38
575MMC FORGED IRONS	40
565MC FORGED IRONS	42
WEDGES & PUTTERS	44
PCF MICRO PRO WEDGES	44
MICRO-GROOVE HM WEDGES	46
PCF PLATINUM WEDGES	48
PCF WIDE SOLE WEDGE	49
CAVITY BLACK PUTTERS	50
SHAFTS	53
S2S SHAFT FITTING SYSTEM	54
S2S GREEN	56
S2S RUBY LITE	57
S2S BLACK	58
S2S WHITE	60
S2S RED	62
S2S BLUE	64
S2S SMOOTH STEEL	66
S2S SUPERLITE STEEL	67
WEDGE SHAFTS	49
PUTTER SHAFTS	52
SHAFT TRIM CHARTS	68
GOLF BAGS	70
GRIPS	71
HEADCOVERS	72
ACCESSORIES	73
APPAREL	74
TOOLS, FERRULES, MEDALLIONS & LABELS	76

# ONLINE

Wishon Golf is making a commitment to educate golfers about the benefits of Clubfitting and drive golfers to contact custom clubmakers to be custom fit.

Alongside wishongolf.com, follow our social media channels below for more clubfitting resources and news about Wishon Golf in 2019.



@WISHONGOLF



/WISHONGOLF



/WISHONGOLF



/WISHONGOLFVIDEO



- 1 A Separate Portal Expressly for Custom Clubmakers
- 2 Easy to Read Articles Explaining the Benefits of Professional Custom Fitting to Golfers
- 3 Our Find A Clubfitter Search Tool encourages golfers to find a Wishon Golf clubmaker to be custom fit
- 4 Videos to explain the benefits of professional clubfitting

## CLUBMAKER PORTAL

The Clubmaker Portal on wishongolf.com has a lot of information and materials that we created for you to use in promoting your business, including:

- Comprehensive technical info & shaft trimming charts
- S2S Shaft Fitting Program
- Marketing Collateral & Product Images

Go to [wishongolf.com/clubmakers](http://wishongolf.com/clubmakers)



## VIDEO

On our Video channels, you'll find a growing library of both instructional and informative videos on all things related to custom club making and fitting.

Go to [vimeo.com/wishongolf](http://vimeo.com/wishongolf)  
or [youtube.com/wishongolfvideo](http://youtube.com/wishongolfvideo)



## ABOUT WISHON GOLF



When golfers think about the majority of golf club design innovations being marketed today - such as adjustable hosel drivers, milled faces on wedges, draw bias weighting, high COR fairway woods, high COR hybrids, and high COR irons - they tend to think of the large golf club companies. In fact, every one of these design innovations were first created by Wishon Golf's founder, Tom Wishon.

Wishon Golf is a completely unique brand in the golf equipment industry. Not only do we lead the industry in original clubhead design innovation but we are also the leader in clubfitting research.

Through our numerous books and publications, Wishon Golf has taught the golf equipment industry the most truthful information about the technical performance of golf clubs and the knowledge of choosing the right fitting specifications for every type of golfer than all of the other golf companies combined.

If you are interested in learning the most you can about golf club performance and building the absolute best performing golf clubs for every golfer, Wishon Golf welcomes you to support us with your purchases, to join with us in a combined promotional effort to prove the real benefits of professional clubfitting for golfers worldwide.

## THE NEW 12 MYTHS THAT COULD WRECK YOUR GOLF GAME

PAPERBACK

#TW130-MINISEARCH

Updated in 2014, the New 12 Myths That Could Wreck Your Golf Game is an inexpensive, 32-page booklet written by Tom Wishon to educate golfers about the benefits of professional clubfitting. The New 12 Myths dispels of myths about golf clubs that golfers are led to believe from marketing claims and provides compelling information to convince golfers of the benefits of custom fitting.

Keep a supply on hand with your contact information attached to give away to all the golfers you can - local charity tournament giveaways, service groups, golf leagues, any organization with golfers. The more copies of The New 12 Myths you give away, the more your business will grow!

*"Tom and all at Wishon Golf: I can state without reservation that the 12 Myths booklet is the best tool we have available to my custom Clubfitting business. We have increased our fittings 10 fold since the introduction of this booklet!"*

**Tom Spargo - Spargo Golf, West Warwick, RI**

*"100 copies of 12 Myths in the hands of visitors to my shop resulted in 67 fitting appointments over a period of about 3 months. At less than a buck each, I can't think of any other advertising that could come close!"*

**Dave Kuiper - Custom Built Golf, Inc., Stuart, FL**






BOOKS

COMMON SENSE CLUBFITTING

PAPERBACK, 496 PAGES  
#TWCSC



COMMON SENSE CLUBFITTING The Wishon Method						
EFFECT OF GOLF CLUB SPECIFICATIONS ON GAME IMPROVEMENT FITTING FACTORS						
	SPECIFICATIONS	USE	DISTANCE	ACCURACY	TRAJECTORY	CONSISTENCY
CLUBHEAD	Loft Angle	W/I/H/Wg/P	A		A	
	Lie Angle	W/I/H/Wg/P		A(I,W,G,P)		A(I,W,G,P)
	Face Angle	W/H		A(W)		A(W)
	Horizontal Budge	W/H				
	Vertical Roll	W/H	A(DB,H,PW)		A(DB,B,PW)	B(W)
	Face Progression/Offset	W/I/H/Wg/P		B	B(W,H)	
	Sole Angle	I/Wg				B(I,W,G)
	Sole Width/Radius	W/I/H/Wg/P				B(I,W,G)
	CG Location	W/I/H/Wg/P	B	B	B	B
	MOI about Shaft	W/I/H/Wg/P		B		
	MOI about CG	W/I/H/Wg/P			B	B
SHAFT	Face Design	W/L/H	B			B
	Weight	W/I/H	A	B	B	A
	Primary Flex	W/L/H	B		B	A(W,B(I))
	Bend Profile	W/L/H	B		B	A(W,B(I))
	Torque	W/L/H		B(W)		
GRIP	Weight Distribution	W/L/H		B(W)		
	Style Type	W/I/H/Wg/P				A
	Size	W/I/H/Wg/P		B		A
ASSEMBLED GOLF CLUBS	Weight	W/I/H/Wg/P				
	Length	W/I/H/Wg/P	A	A		A
	Swingweight/MOI	W/I/H/Wg/P	A	B		A
	Total Weight	W/I/H/Wg/P	A	B		A
	Set Make-Up	W/I/H/Wg/P	B	B		A

\*A\* Effect Fitting Specification: This is a golf club specification that will create the most visible and noticeable change in a game improvement fitting factor. When an "A" effect specification is changed, even by a moderate amount, the golfer should experience a change in that game improvement factor the first time they hit shots with the club.

\*B\* Effect Fitting Specification: This is a golf club specification that will create a visible and noticeable change which typically will be less than an "A" effect specification. In addition, a "B" effect specification will usually only display its effect ONLY if that specification was poorly matched in the golfer's previous golf club(s).

DR - Driver  
W - Wood  
FW - Fairway Wood  
L - Iron

H - Hybrid  
WG - Wedge  
P - Putter

Tom Wishon Golf  
Technologies

1696 County Road 233 Durango, CO 81301  
1800.480.0017  
www.twgolftech.com

© 2014 ALL RIGHTS RESERVED

Wishon Golf's knowledge and experience in clubfitting technology and golf club performance is available to all clubmakers in this book, Common Sense Clubfitting: The Wishon Method.

Nowhere in the golf industry will you find the depth of technical information on clubfitting technology than in Common Sense Clubfitting. If you are serious about being the best clubfitter you can be, if you wish to ensure the highest level of success in your clubfitting, this book must become the primary focus of your study.

Common Sense Clubfitting teaches clubmakers which golf club specifications to focus on and exactly how to achieve the greatest level of visible shotmaking improvement for all golfer's Distance, Accuracy, Consistency, Shot Trajectory and Club Feel for ALL the clubs in the bag.

This book will end the confusion suffered by many clubmakers who are unsure which fitting decisions will result in the most tangible game improvement for golfers. Of special note is the fact that so much of the information in the book is keyed to teaching what specific characteristics dictate which fitting specifications are for golfers - of all abilities and all different swing types.

6




TOM WISHON WROTE THE FOLLOWING BOOKS TO PROMOTE CLUBFITTING AND TO CONVINCE GOLFERS TO FIND A CLUBFITTER FOR THEIR NEXT PURCHASE...

Each of these books is written in a very easy to understand manner, in a conversational tone that is virtually the same as having Tom Wishon sitting down with the reader to have a casual conversation about golf clubs.

Plain and simple, the more golfers who read one or more of these books, the more golfers who will find a clubmaker to be custom fit and buy custom built golf clubs. Wishon Golf also recommends each clubmaker read these books as well - when you do, you will have a much easier time talking to your golfers about the facts of life about golf equipment. From that comes more business for your clubmaking shop.

The Search books have been endorsed by an impressive list of people in the game:

- The legendary Arnold Palmer
- LPGA Hall of Fame member Carol Mann
- Top Ten Teacher to tour pros, Chuck Cook
- Top Twenty PGA Tour Career Money Leader Scott Verplank
- Golf Digest Equipment Editor Mike Stachura
- Golf World Equipment Editor Mike Johnson
- Golfweek Senior Editor Jim Achenbach



## THE NEW SEARCH FOR THE PERFECT GOLF CLUB



PAPERBACK  
#TWSPGC-PB

The first in the 'Search' series, The Search for the Perfect Golf Club has qualified as a best seller and was the winner of a past Book of the Year award from the prestigious International Network of Golf. The book shatters countless myths to deliver the full fact about all areas of golf club performance in an oft-humorous and very understandable manner. If you want to know facts about how golf clubs work and don't work, this book is a must read.

## THE SEARCH FOR THE PERFECT DRIVER

HARDBACK WITH DUST JACKET  
#TWSPD

Second in the 'Search' series, The Search for the Perfect Driver' explains everything any golfer wants to know about the performance and fitting of the longest and often times, the most frustrating club in the golfer's bag. The book is written in a full conversational dialog style between Tom and two golfers of different abilities. Winner of a past Book of the Year award from the International Network of Golf.



## THE RIGHT STICKS

HARDBACK WITH DUST JACKET  
#TWSTICKS

The Right Sticks is an expanded version of the 12 Myths booklet, setting the facts straight about nearly 40 different myths related to golf club, clubheads, shafts, their design and performance. With each myth explanation covering no more than 4-5 pages, The Right Sticks is a very easy to read book in which the reader can jump around and is not compelled to read in sequence to learn more about the performance of golf clubs.

# HAND SELECT SERVICES

Attract more business by offering perfect Loft, Lie and Face Angle specifications on the Wishon Custom Golf Clubs you fit and build through our Hand Select and Custom Bending Services...

- All Wishon clubhead models are eligible for Hand Select Service for loft, lie, face angle (drivers/woods/hybrids) and loft, lie (irons, wedges) within  $\pm 1^\circ$  of each of these three specs
- Wishon Golf Bending Service is available for most Wishon clubhead designs (see chart for actual bending limits for each eligible clubhead model). A boring service is also available for selected clubheads
- Each Hand Select clubhead is shipped with a signed verification certificate to ensure each spec measurement. Accuracy is within  $1/4^\circ$  of the requested specs
- Bending on drivers/woods/hybrids is for lie and face angle; not loft. Custom loft requests for drivers/wood/hybrids are done by hand selecting from our inventory to find the requested loft spec within  $\pm 1^\circ$  of each model's loft design spec
- All loft, lie and face angle specs for drivers/woods/hybrids are measured with the clubhead SOLED in the same precision golf club specs gauge used by every clubhead production factory in the golf industry
- Charge for Hand Select Service is a flat fee per head for any number of Hand Select spec requests on each head
- Charge for Hand Select Service for headweight is per head. Please note the  $\pm$  weight tolerances for each head model on its model presentation page in the catalog found under the headweight column in the specs chart for each model
- Charge for Custom Bending is per head for any number of bends requested on the head



Each Wishon Hand Select clubhead includes a signed certificate of accuracy. Show and give the Wishon Hand Select verification sheet to your customers to prove the precision and accuracy of the custom fit Wishon Golf clubs you fit and build.

**TomWishonGolf™** Hand Select Service Notice

Model: TW 929 #4  
Sales order #: 02828

Thank you very much for choosing Tom Wishon Golf Technology to meet your need for precise custom clubmaking specifications. We are pleased to be able to carefully hand-measure your request, and provide you with the most accurate components for the fitting and performance needs of your customer.

Hand Select Requirement: 16.5 Gt - SQ Ea - 2deg flat

Specification: Loft Verified to be: 16 1/2°

Specification: Face Angle Verified to be: SQ.

Specification: Lie Verified to be: 56 1/2°

Hand Select Performed by: dh.

Notes: Many Thanks.



Below are the hand select specification ranges for each Wishon Golf clubhead model for lie angle, loft and for face angle...



LIE



LOFT




FACE ANGLE

919THI DRIVERS	+/- 4°	+/- 1° by Hand Select	+/- 4°
730CL DRIVER	+/- 4°	+/- 1° by Hand Select	+/- 4°
919F/D FWY DRIVER	+/- 4°	+/- 1° by Hand Select	+/- 4°
929HS FWY WOODS	+/- 4°	+/- 1° by Hand Select	+/- 4°
730CL FWY WOODS	+/- 2°	+/- 1° by Hand Select	+/- 2°
365PF FWY WOODS	+/- 2°	+/- 1° by Hand Select	+/- 2°
318RS HYBRIDS	+/- 2°	+/- 1° by Hand Select	+/- 2°
STERLING SINGLE LENGTH #5 HYBRID	+/- 4°	+/- 1° by Hand Select	+/- 4°
775HS HYBRIDS	+/- 4°	+/- 1° by Hand Select	+/- 4°
730CL HYBRIDS	+/- 2°	+/- 1° by Hand Select	+/- 2°
590DIH DRIVING IRONS	+/- 2°	+/- 1° by Hand Select	+/- 2°
STERLING SGL LGTH IRONS	+/- 4°	+/- 4° By Bending	N/A
979SS IRONS	+/- 2°	+/- 2° By Bending	N/A
771CSI IRONS	+/- 4°	+/- 4° By Bending	N/A
575MMC IRONS	+/- 4°	+/- 4° By Bending	N/A
565MC IRONS	+/- 4°	+/- 4° By Bending	N/A
FUTURE PRO JR WOODS	N/A	N/A By Bending	N/A
FUTURE PRO JR IRONS	+/- 2°	+/- 2° By Bending	N/A
PCF WEDGES	+/- 4°	+/- 4° By Bending	N/A
HM SERIES WEDGES	+/- 4°	+/- 4° By Bending	N/A
CAVITY BLACK PUTTERS (MODELS 1,2,4)	+/- 2°	+/- 2° By Bending	N/A

*Note: All +/- degree ranges for custom spec options are in relation to each model's design specs for its loft, lie and face angle as listed on each models' catalog pages*

The SHAFTLOCK Connector System is a brand new shaft to clubhead connector system: a fast and simple tool for testing different shaft and clubhead combinations during your fitting sessions.

Wishon Golf has taken the original Spiralock/YourFit connector system and created an improved and streamlined version. With full depth penetration to the bottom of the bore, the Shaftlock connector system ensures your test shaft is inserted as it would be conventionally built.



# SHAFTLOCK

## C O N N E C T O R   S Y S T E M

A SHAFT TO CLUBHEAD CONNECTOR SYSTEM  
FOR FASTER, SIMPLER SHAFT AND CLUBHEAD COMBINATIONS  
DURING FITTING SESSIONS...

## SHAFTLOCK

INSTALLATION SERVICE

FREE OF CHARGE

As part of the service to help Wishon clubmakers provide a full Wishon demo set-up, we are offering **FREE** of charge installation of the SHAFTLOCK connector to any head ordered as a demo.

Furthermore, demo heads will receive a 20% discount from the list price. PLUS — for each demo head ordered we'll also discount one shaft and grip per demo head ordered by 20%.

Clubmakers may fit their own SHAFTLOCK connectors but we do advise that great care is taken in doing so. Full instructions are provided with each SHAFTLOCK connector and we **strongly advise that clubmakers follow these instructions.**





- The SHAFTLOCK system will work with all Wishon Golf Drivers, Fairways, Hybrids and Irons
- Shafts used do not need a separate connector installed to the shaft tip
- The shaft can therefore be used in any head with a SHAFTLOCK installed
- Any shaft model can be used with the system, as long as they have a .335" tip for woods or .370" tip for irons
- Each head used will need to be bored to take the SHAFTLOCK Hosel Sleeve.
- The SHAFTLOCK connector system has a total weight of just 7g. With a few grams being removed from the head from drilling the hosel bore, the net weight addition is minimal.
- Customers with heads already tapped to take the original Spiralock/YourFit system can use the Spiralock threaded heads with SHAFTLOCK (Note: the threaded head may still need to be bored slightly)

.335 HOSEL SLEEVE

#TWSL-HS335

.370 HOSEL SLEEVE

#TWSL-HS370

TOP CAP

#TWSL-TC

.400" DRILL BIT FOR WOODS




#TWSL-DB400

.432" DRILL BIT FOR IRONS

#TWSL-DB432

WRENCH (5/8")

#TWSL-W



**SHAFTLOCK**  
CONNECTOR SYSTEM



WishonGolf

FOR INSTRUCTIONAL VIDEOS, AND MORE INFORMATION  
ON SHAFTLOCK, VISIT OUR VIDEO CHANNEL AT:



VIMEO.COM/WISHONGOLF



## 919THI

### DRIVERS

AVAILABLE IN: 9°, 11°, 13°, 15.5°

LEFT HAND AVAILABLE IN: 11°

BLACK OXIDE FINISH AVAILABLE IN: 9°, 11°, 13°

Available in two unique finishes, all 919THI Drivers feature a bendable hosel for the widest range of custom fitting options.



## 365PF

### FAIRWAY WOODS

AVAILABLE IN: #3, 4, 5, 7, 9

A Progressive Fairway design, with Wishon proprietary 420THC steel alloy construction for highest smash factor.



## 919F/D

### FAIRWAY DRIVER

AVAILABLE IN 14°

A 260cc volume design with maximum COR face; no distance loss, and better control and accuracy



## 929HS

### FAIRWAY WOODS

AVAILABLE IN: #2, 3, 4, 5, 7

LEFT HAND: #3, 5, 7

High COR face design in a semi-shallow face height of 31mm to offer lower CG for ease in getting the ball well up to fly.

## SETS

### 730CL

#### SET

AVAILABLE IN: DRIVER, LONG & HIGH FAIRWAYS  
HYBRID IRONS, PW & DW

Designed for use with S2S Ruby Lite graphite shafts, perfect for the sub- 80mph golfer. The 730CL Driver features bendable hosel for +/- 4° custom lie/face angle fitting. The 730CL Long & High Fairway Woods feature a slightly smaller profile than traditional fairways.



### Future Pro

#### JUNIOR SET


AVAILABLE IN: STAINLESS STEEL WOODHEADS #1, 3, 5,  
STAINLESS STEEL IRONHEADS #5, 7, 9, DW

The Future Pro stainless steel wood and iron heads offer a quality alternative to cheap aluminum and zinc heads at a "parent-friendly", economical price. Designed with Wishon's hosel weight bore to allow proper weight fitting.



## THE WIDEST POSSIBLE RANGE IN DRIVER FITTING OPTIONS...

ALL 919THI DRIVER MODELS HAVE WISHON'S PROPRIETARY BENDABLE HOSEL



- 919THI Drivers available in both conventional finish and a beautiful Black Oxide finish — all designed with Wishon's unique bendable hosel
- Variable Thickness Face with High MOI delivers the best off center hit performance in the game
- All 919THI drivers undergo 6 separate face thickness QC checks during production to ensure the highest conforming smash factor
- The 919THI is also available in a black oxide satin finish with red crown highlights for the most modern cosmetic appearance. Available in conventional finish version in RH 9°, 11°, 13°, and 15.5°, and LH in 11°. Black Oxide version in RH in 11° and 13°

Head	Volume	Static Loft*	Lie	Face Angle	Weight	Bulge	Roll	Face Prog.	RH/LH
919-9	460cc	9°	58°	0 square	202g	13"	GRT	18mm	RH
919-11	460	11	58	0.5 closed	202	13	GRT	19	RH
919-11-LH	460	11	58	0.5 closed	202	13	GRT	19	LH
919-13-HL	460	13	58	1 closed	202	13	GRT	20	RH
919-15.5-HLP	460	15.5	58	1 closed	202	13	GRT	21	RH

\*Wishon Golf measures the real static loft of all drivers, fairway woods and hybrids in the soled position of the clubhead on the base of the industry standard specifications measurement gauge.

919 - 11 and 13 are available in Black Oxide finish

Head	Face Height	Face Width	Front-Back	Bore Diam.	Hosel OD	Bore Depth	Face Area	MOI Izz
919-9	53mm	105mm	113mm	0.335"	13mm	35mm	4800mm <sup>2</sup>	5004cm <sup>2</sup>
919-11	53	105	113	0.335	13	35	4800	5015
919-11-LH	53	105	113	0.335	13	35	4800	5015
919-13-HL	53	105	113	0.335	13	35	4800	5025
919-15.5-HLP	53	105	113	0.335	13	35	4800	5025

**Face Material:**  
6/4 Titanium Cup-Face

**Body Material:**  
6/4 Titanium

**Face Construction:**  
Forged Variable Thickness

**Swingweight Bore:**  
Yes, 7.5mm diam. X 15mm deep, up to 9g

**Ferrule Required:**  
Yes, any 13.0mm OD X 0.335" ID

**Hand Select Options:**  
+/- 1° loft; +1/-2g weight;  
+/- 4° lie/face angle (bending)

**Scorelines:**  
CNC Engraved 0.8mm X 0.35mm

**Bottom of Bore to Ground:**  
919THI = 2"

**Bending Options:**  
+/- 4° lie/face angle  
Note: Perform bending only in a driver bending machine or request Wishon custom bending service.

NO DRIVER IN THE WORLD CAN OFFER SUCH A WIDE RANGE OF ALL THREE KEY SPECIFICATIONS ON THE SAME HEAD ALTOGETHER.

Through Hand Select and Bending Service, the 919THI drivers can be ordered in any loft from 8° to 16° in half degree increments - in any lie angle from 4° upright to 4° flat of the 59° lie design spec - in any face angle from 4° open to 4° closed from each model's face angle design spec.



SUPERB VARIABLE THICKNESS FACE, >5000 MOI...

DESIGNED WITH A GREAT LOOKING PROFILE AND SHAPE.



## 919<sup>THI</sup>

DRIVERS



AVAILABLE IN: 9°, 11°, 13°, 15.5°

BLACK OXIDE VERSION AVAILABLE  
IN RIGHT HAND ONLY: 11°, 13°

LEFT HAND AVAILABLE IN 11°

# DIAMOND GOLF

**EUROPE'S ONLY DEDICATED  
COMPONENT SUPPLIER SINCE 1978.**

 MITSUBISHI CHEMICAL / GRAPHITE SHAFTS

 GRAFALLOY

 LAMKIN

 KBS

 G-Rip

Golf Pride

 winn

 TRUE TEMPER

 NIPPON SHAFT

 Tarsen GOLF

 Super Stroke

 UST mamiya

SHIMADA

tacki-mac grips



 APOLLO

 ALDILA

 GRAPHITE DESIGN

 AEROTECH

 PROJECT X

 AVON grips

Wishon Golf customers are able to benefit from the extensive range of products distributed by Diamond Golf - the largest component supplier to the golf industry in Europe.

Named after legendary singer Neil Diamond, the company was founded in 1978 by Chris Treacy, father of current managing director, Daren Treacy. Since then, it has specialised in supporting clubfitters across Europe.

Wishon's partnership with Diamond Golf has its roots in the early 1980s after Chris met Tom Wishon at a clubfitting course Tom was hosting. "The enthusiasm for clubmaking Chris showed was so infectious," Tom said. "We became lifelong friends ever since." When Chris passed away, his son Daren took over the business and confirmed the commitment to clubfitting and clubmaking was here to stay.


"The heart and soul of our business lies within clubmaking and clubfitting," said Daren. "Our customers like our wide range of products. They like our freely available technical support. They like the fact we will do all we can for them."

Wishon Golf customers automatically have access to all Diamond Golf products. For most customers, Diamond Golf's shipping policy allows free shipping over a certain level. This makes many of the Diamond Golf products (mostly shafts and grips) an affordable option to formerly Wishon Golf customers. "Our aim is make everyone happy. If we can supply all that you need then we've done our job," said Daren. "Our new online store will feature all the products available to all customers in all regions."



The new Diamond Golf and Wishon Golf online store will be launching in 2019. Please stay tuned for details...

A PERFECT FITTING OPTION FOR MORE CONTROL ON TIGHT HOLES...  
OR MORE DISTANCE FOR LONG SECOND SHOTS



**Face Material:** HS300 high strength steel

**Body Material:** Sole/Skirt & Crown - 17-4 Stainless Steel; Hosel - 304 Stainless Steel

**Hosel Material:** 304 Stainless Steel

**Swingweight Bore:** 1) Hosel Weight Bore; 2) Sole Weight Bore up to 9g

**Ferrule Required:** Yes, any 12.3mm OD x 0.335" ID

**Hand Select Options:** +/-1° loft; +/-3g headweight

**Bending Options:** +/-2° lie, face angle  
*Note: Perform bending only in a metal wood bending machine or request Wishon custom bending service*

**Scorelines:** CNC Engraved, 0.8mm wide x 0.2mm deep

**Bottom of Bore to Ground:** 919F/D = 2"



## 919F/D FAIRWAY DRIVER

- 919F/D is a "mini-driver", 260cc volume design for use off the tee on tight tee shot holes where control and accuracy is critical, designed to be built to lengths between 42" and 44"
- Maximum COR face design for no distance loss compared to any large titanium driver head
- Available in RH in 14° loft with Wishon Golf's bendable hosel design
- Wishon Hand Select and Bending Service can deliver the 919F/D in lofts from 13° to 15°, lies from 4° up to 4° flat and face angles from 4° open to 4° closed for maximum fitting options for all golfers


Head	Static Loft*	Lie	Face Angle	Weight	Bulge	Roll
919F/D-14	14	57	0 square	205g	13"	GRT

\*Wishon Golf measures the real static loft of all drivers, fairway woods and hybrids in the soled position of the clubhead on the base of the industry standard specifications measurement gauge.

Head	Face Height	Face Width	Front-Back	Bore Diam.	Hosel OD	Volume	Face Area	MOI Izz
919F/D	39mm	93mm	87mm	0.335"	12.3mm	260cc	3200mm <sup>2</sup>	2855gcm <sup>2</sup>

## SEMI SHALLOW FACE, HIGH COR DESIGN...

### FOR DISTANCE WITH SUPERB SHOT CONSISTENCY



- Wishon's bendable steel hosel is separately welded to the body to enable ease in bending for a wide range of custom lie and face angle bending (+/-4°)
- 31mm semi-shallow face height is ideal for golfers who play off tight, close mown fairways and for golfers who need more confidence getting the ball well up to fly
- HS 300 high strength steel thin face allows for a high COR for increased ball speed
- Reduced face-to-back sole width narrows the sole to ground contact for more consistent contact with the ball, even from the rough
- 929HS is a past winner of Best Fairway Wood recognition in the Golf Digest Hot List Awards
- 929HS available in black gloss finish in RH #2, 3, 4, 5, 7 and LH in #3, 5, 7

Head	Static Loft*	Lie	Face Angle	Weight	Bulge	Roll	Face Prog.	RH/LH
929-2-RH	12°	57.5°	0 square	203g	13"	GRT	14mm	RH
929-3-RH	14	58	0 square	208	14	GRT	14	RH
929-3-LH	15	58	0 square	208	14	GRT	14	LH
929-4-RH	16.5	58.5	0 square	213	14	GRT	15	RH
929-5-RH	18	59	0 square	218	16	GRT	16	RH
929-5-LH	18.5	59	0 square	218	16	GRT	16	LH
929-7-RH/LH	21	60	0 square	228	16	GRT	17.5	RH/LH

\*Wishon Golf measures the real static loft of all drivers, fairway woods and hybrids in the soled position of the clubhead on the base of the industry standard specifications measurement gauge.

Head	Face Height	Face Width	Front-Back	Bore Diam.	Hosel OD	Face Thick
#2 - 12°	31mm	84mm	77mm	0.335"	12.3mm	1.70mm
#3 - 14	31	84	76	0.335	12.3	1.65
#3LH - 15	31	84	76	0.335	12.3	1.65
#4 - 16.5	31	84	76	0.335	12.3	1.65
#5 - 18	31	84	75	0.335	12.3	1.65
#5LH - 18.5	31	84	75	0.335	12.3	1.65
#7 - 21	31	84	75	0.335	12.3	1.60

#### Face Material:

HS 300 High Strength Steel (NiCr plated)

#### Body Material:

Sole/Skirt & Crown - 17-4  
Stainless Steel; Hosel - 304  
Stainless Steel

#### Hosel Material:

304 Stainless Steel

#### Weight Bore:

- 1) Hosel Weight Bore (up to 9g)
- 2) Sole Weight Bore (up to 9g)

#### Ferrule Required:

Yes, any Wishon Wood Standard with 12.3mm Bottom OD

#### Hand Select Options:

- +/- 1° loft
- +/- 2g headweight

#### Lie/Face Angle Bending:

+/-4° in all directions

#### Bottom of Bore to Ground:

929HS = 1.5"





BENDABLE STAINLESS STEEL HOSEL

ALLOWS CUSTOM LIE AND FACE ANGLE FITTING

SECOND WEIGHT BORE



# 929<sup>HS</sup>

FAIRWAY WOODS

AVAILABLE IN BLACK GLOSS FINISH:  
#2, 3, 4, 5, 7

LEFT HAND AVAILABLE IN #3, 5, 7


FULL RADIUS ROUND PROFILE



SEMI-SHALLOW FACE HEIGHT

## PROGRESSIVE FAIRWAY WOOD PROFILE DESIGN...

FIT & BUILD AS ALL FAIRWAY WOOD OR AS COMBINED FAIRWAY & HYBRID SET MAKEUP



**Body Material:**  
Investment Cast 420THC  
Steel

**Hosel Material:**  
304 Stainless Steel

**Hosel Weight Bore:**  
1) hosel – up to 9g  
2) sole – up to 9g

**Ferrule Required:**  
Yes, any Wishon Wood  
Standard with 12.3mm  
Bottom OD

**Hand Select Options:**  
+/-1° loft  
+/-2g headweight

**Lie/Face Angle Bending:**  
+/-2° Lie and Face Angle

**Bottom of Bore to Ground:**  
365PF = 1.5"

Head	Static Loft*	Lie	Face Angle	Weight	Bulge	Roll	Face Prog.	RH/LH
365-3-RH	15°	57°	0 square	208g	14"	GRT	15mm	RH
365-4-RH	16.5	57.5	0 square	213	14	GRT	15mm	RH
365-5-RH	18	58	0 square	218	16	GRT	16mm	RH
365-7-RH	21	59	0 square	228	16	GRT	17mm	RH
365-9-RH	24.5	60	0 square	238	18	GRT	18mm	RH

\*Wishon Golf measures the real static loft of all drivers, fairway woods and hybrids in the soled position of the clubhead on the base of the industry standard specifications measurement gauge.

Head	Face Height	Face Width	Front-Back	Bore Diam.	Hosel OD	Face Thick
365-3-RH	33mm	86mm	75mm	0.335"	12.3mm	2.75mm
365-4-RH	33	86	74	0.335	12.3	2.75
365-5-RH	33	86	73	0.335	12.3	2.75
365-7-RH	32	84	71	0.335	12.3	2.75
365-9-RH	32	84	68	0.335	12.3	2.75

- The most versatile fairway wood design created. Head size and shape progresses gradually from traditional fairway wood in the #3 and 4 to slightly smaller fairway profile for the #5, to a slightly more narrow fairway to semi-broad hybrid in the #7 and 9
- Twin weight bores allows assembly from traditional fairways to hybrid lengths as desired for the golfer
- The highest smash factor found in a conventional investment cast steel head, achieved through Wishon's metallurgical experience and knowledge. 365PF offers the best combination of performance and value in a woodhead design
- Bendable hosel allows a range of +/-2° in the lie and the face angle. Hand Select for loft offers +/-1° options for each head model from its designed loft spec
- Available in RH in #3 (15°), #4 (16.5°), #5 (18°), #7 (21°) and #9 (24.5°)

PROPRIETARY 420THC STEEL CONSTRUCTION....

DELIVERS THE HIGHEST SMASH FACTOR IN AN ALL INVESTMENT CAST WOODHEAD DESIGN

SECOND WEIGHT BORE



## 365 PF

FAIRWAY WOODS

IN BETWEEN TRADITIONAL AND SEMI-SHALLOW FACE HEIGHT

AVAILABLE IN #3, 4, 5, 7, 9





"JUST A FABULOUS SET FOR AVERAGE TO HIGHER HANDICAP WOMEN OR MEN WITH SUB-80 SWING SPEEDS."

GREG MACCARTHY, BOGEY FREE GOLF

730CL SET CONCEPT

- Game improvement set concept designed expressly for golfers with a driver swing speed of 80mph or lower
- Matching S2S Ruby Lite graphite shafts for sub-80mph swing speed golfers, in discrete AA and A flexes
- Loft increments are designed at 6° between clubs — perfect for slower swing speed golfers to achieve normal 10-12 yard distance increments between each club
- Available in RH in 16° driver, 20° and 26° fairway woods, 30°, 36°, 42° hybrid irons and 48° and 54° wedges

Ferrule Required:  
730CL Driver:  
Any 0.335" Wd-Ti  
ferrule  
730CL Fairways/  
Hybrids:  
Any 0.335" Wd-  
Std ferrule  
730CL Wedges:  
Any 0.370" IR  
ferrule

DRIVER

Head	Desc.	Volume	Static Loft*	Lie	Face Angle	Weight	Bulge	Roll	Face Prog.	Bore Diam.	RH/LH
730-1	Driver	400cc	16°	56°	1 closed	205g	13"	GRT	17.5mm	.335"	RH


FAIRWAY WOODS

Head	Desc.	Volume	Static Loft*	Lie	Face Angle	Weight	Bulge	Roll	Face Prog.	Bore Diam.	RH/LH
730	LONG Fairway	130cc	20°	56°	0.5 closed	218g	14"	0 Roll	12mm	.335"	RH
730	HIGH Fairway	125	26	57	0.5 closed	228	16	0 Roll	12	.335	RH

HYBRIDS & WEDGES

Head	Desc.	Static Loft*	Lie	Weight	Offset	Sole Angle	Face Hgt.	Toe Hgt.	Heel Hgt.	Blade Length	Bore Diam.	RH/LH
730-5	5-Hybrid	30°	60°	254g	-1mm	0°	34mm	-	-	78mm	.335"	RH
730-6/7	6/7-Hybrid	36	61	270	-2	0	37	-	-	78	.335	RH
730-8/9	8/9-Hybrid	42	62	283	-3	0	43	-	-	78	.335	RH
730-PW	PW	48	63	290	4	4	59	-	-	78	.370	RH
730-DW	DW	54	63	300	4	14	60	-	-	78	.370	RH

730CL DRIVER:



*\*Wishon Golf measures the real static loft of all drivers, fairway woods and hybrids in the soled position of the clubhead on the base of the industry standard specifications measurement gauge.*



## A POPULAR FULL SET DESIGN....

EXPRESSLY FOR WOMEN OR MEN WITH A DRIVER SWING SPEED NO HIGHER THAN 80MPH

## DRIVER

730CL DRIVER FEATURES BENDABLE HOSEL FOR WIDER LIE AND FACE ANGLE FITTING OPTIONS.

## LONG &amp; HIGH FAIRWAYS

SECOND WEIGHT BORE

## PW &amp; DW

## 730CL SET

730CL SET DELIVERS MORE DRIVER DISTANCE AND MORE FUNCTIONAL DISTANCE GAPS FOR SLOWER SWING SPEED GOLFERS THAN CONVENTIONAL SET MAKEUP.

## HYBRID IRONS

MATCHES WITH S2S RUBY LITE GRAPHITE SHAFT (P.59) S & WISHON BURGUNDY GRIPS (P.73)



- Future Pro stainless steel wood and ironheads offer a quality alternative to cheap aluminum and zinc heads at a “parent friendly”, economical price
- Future Pro wood and ironheads are designed with Wishon’s hosel weight bore to allow proper weight fitting – Stainless Steel ironheads are easily bent for junior lie and loft fitting
- Designed primarily for junior players, ages 6 to 11, with increased loft to ensure early shotmaking success in the game
- Optional future pro steel or graphite shafts allow clubmakers a wider range for shaft fitting and price consideration to the parents
- Future Pro dark blue finished stainless steel woodheads available in #1 (15°), #3 (20°), #5 (25°)
- Mirror polish stainless steel ironheads available in #5 (32°), #7 (40°), #9 (48°), DW (54°)
- Classic heel and toe weighted putter design for juniors
- Graphite Wood & Iron Shafts and Steel Iron Shaft
- Junior Swing Grip and Putter Grip also available



#### JUNIOR WOODHEADS

Head	Desc.	Volume	Static Loft*	Lie	Face Angle	Weight	Bulge	Roll	RH/LH
805-1	Driver	250cc	15°	52°	0.5 hook	195g	12"	15"	RH
805-3	3-wood	130	20	53	0.5 hook	204	14	16	RH
805-5	5-wood	130	25	54	0.5 hook	213	14	16	RH

\*Wishon Golf measures the real static loft of all drivers, fairway woods and hybrids in the soled position of the clubhead on the base of the industry standard specifications measurement gauge.

#### JUNIOR IRONS AND PUTTER

Head	Desc.	Loft	Lie	Weight	Offset	Sole Angle	RH/LH
855-5	5-Iron	32°	58°	248g	4mm	2°	RH
855-7	7-Iron	40	60	262	4	2.5	RH
855-9	9-Iron	48	62	276	3	3	RH
855-DW	Dual Wedge	54	62	284	3	7	RH
255-PTR	Putter	3	72	335	N/A	N/A	RH

#### JUNIOR GRAPHITE WOOD & IRON SHAFTS

Head	Desc.	Flex	Weight	Torque	Butt Diam.	Tip Diam.	Raw Length	Swing Speed
605-JR-Wood	Wood Shaft	Jr	70g	5.5°	0.500"	0.335"	40"	<50mph
605-JR-Iron	Iron Shaft	vjr	70	5	0.500	0.370	37	<50

#### JUNIOR STEEL IRON SHAFTS

Head	Desc.	Flex	Weight	Torque	Butt Diam.	Tip Diam.	Raw Length	Swing Speed
605-JR-IR-Steel	Iron Shaft	Jr	90	3.3	.500	0.370	35	<50

Head Material- Woodheads:  
17-4 Stainless Steel

Head Material- Ironheads:  
431 Stainless Steel

Ferrule Required:  
1) Driver/Fwys –  
any Wd-Std ferrule  
2) Irons/Wedge –  
any IR ferrule

Bore Depth:  
30mm in both the Wood and  
Ironheads

Loft/Lie Bending:  
Yes, +/- 2 to 3° in any direction  
for the Irons and Wedge

Bore Diameter:  
0.335" Woodheads; 0.370"  
Ironheads

Hosel Weight Bore:  
up to 9g

Bottom of Bore to Ground:  
FP Driver = 1.75"  
FP Fairways = 1.25"  
FP Irons = 1.5"



STAINLESS STEEL CLUBHEADS, GRAPHITE OR STEEL SHAFTS..

OFFERS HIGHEST QUALITY FOR JUNIOR GOLFERS



HEEL/TOE  
JUNIOR PUTTER

DARK BLUE FINISH  
STAINLESS STEEL WOODHEADS  
#1, 3, 5

MIRROR POLISH  
STAINLESS STEEL IRONHEADS  
#5, 7, 9, DW



# FUTURE PRO JUNIOR SET



## STERLING SINGLE LENGTH IRONS

AVAILABLE IN: #5 HYBRID, #4-9, PW, GW, SW, BLADED LW, BLADED SW

LEFT HAND AVAILABLE IN: #5-9, PW, GW, SW

A Unique Set Design to be built to One Length for all Clubs - to deliver a perfect match of all elements of swing feel for shot consistency.



## 318<sup>RS</sup>

### HYBRID IRONS

AVAILABLE IN: #3, 4, 5

LEFT HAND AVAILABLE IN: #4

A conventional two-piece investment cast hybrid, with two rails for assistance in hitting off the rough or in tall grass conditions.



## 775<sup>HS</sup>

### HYBRID IRONS

AVAILABLE IN: #2, 3, 4, 5, 6

A unique Soft Stainless Steel Hosel/ Thin Face, High COR design for great performance on all course conditions.



## 565<sup>MC</sup>

### FORGED MILLED CAVITY IRONS

AVAILABLE IN: #3-PW, AW

Forged Carbon Steel & CNC Machined for the  
Highest MOI in a True Forged Iron Design.



## 979<sup>SS</sup>

### IRONS

AVAILABLE IN: #4-PW, AW, SW  
LEFT HAND AVAILABLE IN: #4-PW

Semi-Wide Game Improvement Sole with Progressive Blade  
Height in a Cast Stainless Design.



## 771<sup>CSI</sup>

### IRONS

AVAILABLE IN: #4-PW, AW  
LEFT HAND AVAILABLE IN: #4-PW

High COR, Variable Thickness Face for the  
most distance and forgiveness in a super game  
improvement design.



## 575<sup>MMC</sup>

### FORGED IRONS

CAVITY BACK AVAILABLE IN: #3-9, PW, AW  
MUSCLE BACK AVAILABLE IN: #5-9, PW, AW

Progressive Cavity Back and Progressive Muscle  
Back designs formed by CNC Machining, available  
as mix and match sets.



CAVITY BACK



MUSCLE BACK



# WHY SINGLE LENGTH?

FOR MORE ABOUT SINGLE LENGTH IRONS,  
VISIT [WISHONGOLF.COM/TECHNOLOGY](https://wishongolf.com/technology)



As golf has always been a game steeped with traditions, golfers as a whole have demonstrated a general and consistent tendency to not deviate too far outside the norm of such traditions in the game.

Like any new and different golf equipment concept that gains awareness and attention, there are a lot of questions concerning single length sets of irons, which we hope we can clear up..

## **What is the technical explanation to support an argument about single length irons being better for a golfer than conventional incremental irons?**

In a single length set of irons, every club is made so that all swing feel elements are the same in each club - same length, same shaft weight, same total weight, same head weight, same swingweight, same balance point, same MOI, and the same shaft stiffness/bend profile design. The only element different within single length clubs are the loft angles, to enable the clubs to each hit the ball different distances.

Normal incremental length sets of irons cannot duplicate that many different fitting elements. While it is possible to build incremental length sets of irons to match the same MOI, each club will be different in total weight, head weight, swingweight, and balance point.



## Why should I consider buying a set of Sterling Single Length Irons?

We're a little prejudiced at this point here at Wishon Golf, because we feel the major changes we have made in the design of the Sterling Set, coupled with our understanding now of the concepts of proper fitting of Single Length sets, make it a possibility for a very high percentage of golfers to gain at the very least a moderate improvement in swing and shot consistency.

We know from 2 years of development work that the Sterling Irons Single Length set has all the requirements to deliver a seamless transition for shot distance with each club compared to a conventional set, while at the same time offering the main benefit of the Single Length concept of identical swing feel for every club. Its popularity in 2016 was testament to this - please read the following pages for a rundown of the features of Sterling Single Length Irons.

## What is the reason a golfer might consider making a change from normal incremental length irons to single length set of irons?

The technical basis behind the creation of a set of single length irons is to say that if all the clubs have the same length, the same total weight, the same headweight, and the same balance point it will enable the golfer to use the same stance, posture, spine angle, swing plane - the same everything in the swing. As such, the single length approach has a chance to offer a higher level of swing repeatability and shot consistency for each of the clubs in the set.

At the same time, it must be said that many golfers have achieved very good swing and shot consistency using irons built to normal incremental lengths which are very accurately custom fit to their size, strength, athletic ability and swing characteristics. However, if a golfer has suffered from chronic or occasional shot inconsistency, converting to a single length concept could offer some help.



## A UNIQUE SET DESIGN TO BE BUILT TO ONE LENGTH FOR ALL CLUBS... TO DELIVER A PERFECT MATCH OF ALL ELEMENTS OF SWING FEEL FOR SHOT CONSISTENCY

- Single length construction ensures all possible elements of swing feel are identical for each club in the set – same MOI, same total weight, same headweight, same balance point – to offer the chance for improved shot consistency
- Identical length and lie allow the golfer to use the same stance, same posture, same swing plane for improved shot consistency
- Optional high COR #5 hybrid with high COR #4, 5, 6, and 7 irons offer proper distance for the low loft clubs at the shorter single length. Other single length sets may lose distance with the low loft clubs
- Conventional cast carbon steel in the #8 to gap wedge with 5° loft increments blend with the high COR design of the low loft clubheads to offer proper distance gaps and proper distance with the high loft clubs. Other single length sets may generate too much distance with the high loft clubs
- Available in a #5 hybrid or #5 iron to match the player's desire and ability, with #4, 6 to 9, PW and GW, SW. LH available in #5-9, PW, GW, SW
- Traditional-Profile Bladed wedges (LW & SW) also available
- Sterling Single Length can be built to 36.5", 36.75 or 37" length for each club as fit by the Clubmaker for the golfer's comfort and preference. Contrasts with most other single length sets being created for a 37.5" length – which can generate too much distance with the high loft irons
- Intended to be custom fit with any Wishon Golf S2S iron shaft model and flex to meet the swing speed, transition/tempo and release point of the golfer
- NOTE - the Sterling #4 Iron should only be used by golfers with a #5 Iron clubhead speed of 85mph or higher to be able to make the club generate the proper trajectory and height to be able to carry the ball farther than the #5 Iron


Head	Desc.	Loft	Lie	Face Angle	Weight	Bulge	Roll	FP/Offset	Side Angle
865-5-HYB	5-Hybrid	23°	63°	0° square	274g	18"	GRT	16mm - fp	N/A
865-4-IR	4-Iron	19	63	N/A	274	Flat	Flat	4mm - off	4°
865-5-IR	5-Iron	23	63	N/A	274	Flat	Flat	4mm - off	4
865-6-IR	6-Iron	27	63	N/A	274	Flat	Flat	3.5mm - off	4
865-7-IR	7-Iron	31	63	N/A	274	Flat	Flat	3.5mm - off	4
865-8-IR	8-Iron	35	63	N/A	274	Flat	Flat	3mm - off	5
865-9-IR	9-Iron	40	63	N/A	274	Flat	Flat	3mm - off	5
865-PW-IR	PW	45	63	N/A	274	Flat	Flat	2.5mm - off	6
865-GW-IR	GW	50	63	N/A	274	Flat	Flat	2.5mm - off	6
865-SW-IR	SW	55	63	N/A	274	Flat	Flat	2.5mm - off	11

### BLADED WEDGES

865-NEW-SW	SW	55	63	N/A	274	Flat	Flat	2mm - off	-
865-NEW-LW	LW	60	63	N/A	274	Flat	Flat	2mm - off	-

### HYBRID HEADCOVER

#TW162-HYB



**Face Material** - #4i, #5H, #5i, #6i, #7i – HS300 High Strength Steel

**Head Material**- #5H – 17-4 Stainless Steel; #4i-SW – 8620 Carbon Steel

**Body and Face Material:** #8, 9, P, G, S – 8620 Carbon Steel

**Weight Bore:** Hosel weight bore in all heads

**Hand Select Options:** #5H - +/- 1° loft; +/-2g headweight

**Bending Options:** #5H - +/-4° lie/face angle; #4i-SW - +/-3° loft/lie

**Bore Diameter:** 0.370" parallel on all Sterling clubheads



#5 HYBRID, #4-9, PW, GW, SW  
LEFT HAND AVAILABLE IN: #5-9, PW, GW, SW



## STERLING SINGLE LENGTH IRONS



BLADED WEDGES (LW & SW)

#5 IRON



#9 IRON



#5 HYBRID




## TWIN WEIGHT BORES MAKE THE 318RS A VERSATILE DESIGN... TO OFFER A WIDE RANGE OF LENGTH AND SWINGWEIGHT OPTIONS

Head	Desc.	Static Loft*	Lie	Weight	Face Progression	Bulge	Roll	RH/LH
318-3	3-iron/hybrid	22°	58°	240g	12mm	16"	20"	RH
318-4	4-iron/hybrid	25	59	247	12.5	18"	20"	RH/LH
318-5	5-iron/hybrid	28	60	254	13	20"	20"	RH

\*Wishon Golf measures the real static loft of all drivers, fairway woods and hybrids in the soled position of the clubhead on the base of the industry standard specifications measurement gauge.

Head	Face Height	Face Width	Front-Back	Bore Diam.	Hosel OD
318-3	30mm	82mm	62mm	.335"	12.3mm
318-4	30.5	82	62	.335"	12.3
318-5	31.25	82	62	.335"	12.3

- Twin Rail sole design enhances a smooth travel through tall grass and Bermuda type grasses while maintaining completely normal performance on short fairway turf
- Special custom heat treatment process enables the 431 stainless steel face to be made thinner to increase smash factor for more distance beyond what is normal for cast hybrid head designs
- Increased body weight at the rear of the head combines with the heavy Rail sole construction to create a lower/more rear Center of Gravity for higher launch and softer landing on the greens
- Face Progression is in between a fairway wood and iron to offer a very pleasing look behind the ball
- Twin Weight Bores allow a maximum addition of 18g to the head to offer custom assembly to a very wide range of swingweights (MOI) with different shaft weights and grip weights
- 0.335" parallel bore diameter design to match with any of Wishon Golf's S2S Black, White or Blue 55 Hybrid shaft designs
- For 2019, the 318RS #4 is now available in left hand



**Head/Body Material:**  
2-piece investment  
cast 431 Stainless  
Steel

**Ferrule Required:**  
Yes - any Wishon  
Golf standard 0.335"  
ID ferrule with  
12.3mm bottom OD

**Scorelines:**  
0.8mm wide x  
0.2mm deep;  
U-Groove; #5 with  
new 2010 USGA/  
R&A scorelines

**Weight Bore:**  
1) Hosel Weight  
Bore (up to 9g)  
2) Sole Weight Bore  
(up to 9g)

**Hosel Length/Bore  
Depth:**  
58mm/30mm

**Hand Select Options:**  
+/-1° loft, lie and  
face angle; +/-2  
grams for head  
weight

**Bending Options:**  
+/-2° from specs for  
lie and/or face angle  
fitting

**Bottom of Bore to  
Ground:**  
1.25" (32mm)

TWIN RAIL DESIGN







## TWIN RAIL-SOLE DESIGN...


FOR EASE OF PLAY FROM ANY TURF CONDITIONS



SECOND WEIGHT BORE

CARBIDE ENDMILL  
DRILL BIT

#TWSD-B-370



For those clubmakers  
wishing to convert a  
318RS Hybrid hosel to a  
parallel .370 hosel.

See back page  
for more info

## 318<sup>RS</sup> HYBRID IRONS

AVAILABLE IN: #3, 4, 5

LEFT HAND AVAILABLE IN #4


NEW





## A MODERN HYBRID DESIGN...

### WITH THIN FACE AND HIGH COR PERFORMANCE



Head	Desc	Static Loft*	Lie	Weight	Face Progression	Bulge	Roll	RH/LH
775-2	2-iron/hybrid	18°	58°	232g	16mm	16"	0	RH
775-3	3-iron/hybrid	21	59	239	17	18	0	RH
775-4	4-iron/hybrid	24	60	246	18	20	0	RH
775-5	5-iron/hybrid	27	61	253	19	20	0	RH
775-6	6-iron/hybrid	31	61.5	260	20	20	0	RH

\*Wishon Golf measures the real static loft of all drivers, fairway woods and hybrids in the soled position of the clubhead on the base of the industry standard specifications measurement gauge.

Head	Face Height	Face Width	Front-Back	Bore Diam.	Hosel OD	Face Thick
775-2	34mm	84mm	62mm	0.335"	13.2mm	1.70mm
775-3	34	84	62	0.335	13.2	1.65
775-4	34	84	62	0.335	13.2	1.65
775-5	34	84	62	0.335	13.2	1.65
775-6	34	84	62	0.335	13.2	1.60

**Head/Body Material:**  
Sole/Skirt & Crown -  
17-4 Stainless Steel;  
Hosel - 304 Stainless  
Steel

**Hosel Material:**  
304 Stainless Steel

**Face Material:**  
HS 300 High Strength  
Steel  
(NiCr Plated)

**Ferrule Required:**  
Yes, #121-HYBRID

**Scorelines:**  
CNC Engraved, 0.8mm  
wide x 0.2mm deep;  
#5 with new USGA  
scorelines

**Weight Bore:**  
1) Hosel Weight Bore  
(up to 9g)  
2) Sole Weight Bore  
(up to 9g)

**Hosel Length/Bore Depth:**  
60mm/30mm

**Lie/Face Angle Bending:**  
+/-4° in all directions  
Note: Perform bending  
only in a metal wood  
type bending machine or  
request Wishon custom  
bending service

**Bottom of Bore to  
Ground:**  
775HS = 1.5"



- Thin, high COR, high strength HS 300 alloy face delivers a higher ball velocity for more distance in a modern hybrid head design
- Unique 304 grade stainless steel hosel offers very easy bending adjustments to custom fit a very wide range of golfers
- 775HS Hybrids are designed with a split-level, narrowed primary sole width for more consistent shotmaking from both fairway or rough conditions
- 775HS Hybrid face progression is in between an iron and a fairway wood to offer an appearance that generates more confidence with the shot
- 0.335" hosel bore diameter of the 775HS Hybrids is designed to match with either the S2S White, S2S Black, S2S Red or S2S Blue 55 Hybrid shaft designs
- Available in RH in #2, 3, 4, 5, 6. All 775HS hybrids are designed with two weight bores to expand fitting options for length, shaft weight and swingweight

775HS HYBRIDS MATCH PERFECTLY WITH S2S HYBRID SHAFTS,  
AVAILABLE IN MULTIPLE WEIGHTS...



A UNIQUE STAINLESS STEEL HOSEL...


FOR A WIDE RANGE OF LIE AND FACE ANGLE FITTING OPTIONS



SECOND WEIGHT BORE

CARBIDE ENDMILL  
DRILL BIT

#TWSDB-370



For those clubmakers  
wishing to convert a  
318RS Hybrid hosel to a  
parallel .370 hosel.

See back page  
for more info

# 775<sup>HS</sup>

HYBRID IRONS

AVAILABLE IN: #2, 3, 4, 5, 6




## SEMI-WIDE GAME IMPROVEMENT DESIGN...

### WITH PROGRESSIVE BLADE HEIGHT IN A CAST STAINLESS DESIGN

- Progressive blade height design graduates through the set from semi-shallow low CG on the long irons to conventional blade height on the short irons
- Semi-Wide, symmetrical width sole design with face-to-back radius and blunt leading edge achieves the most game improvement for clean, solid contact through all grass/turf conditions
- Undercut back cavity combines with semi-wide sole to keep CG lower for more game improvement launch angle assistance
- Twin weight bores allow for a maximum headweight addition of 15g to satisfy any combination of custom length and shaft weight fitting considerations
- Precision investment cast from 431 stainless steel for ease in loft/lie bending, finished in a bright satin finish with attractive cosmetic highlights. Available in RH in #4-PW, AW, SW and in LH in #4-PW

Head	Desc	Loft	Lie	Weight	Offset	Sole Angle	Toe Height	Heel Height	Blade Length	RH/LH
979-4	4-iron	23	60	245	3	2	51.5	32	82	RH/LH
979-5	5-iron	26	61	252	2.5	2	53	33	82	RH/LH
979-6	6-iron	30	61.5	259	2.5	2.5	55	34	82	RH/LH
979-7	7-iron	34	62	266	2.5	3	56.5	35	82	RH/LH
979-8	8-iron	38	63	273	2	3	57	35.5	82	RH/LH
979-9	9-iron	42	64	280	2	4	58	36.5	82	RH/LH
979-PW	PW	46	64	282	2	5	59	38	82	RH/LH
979-AW	AW	50	64	282	2	5	59	38	82	RH
979-SW	SW	55	64	298	2	11	60	39	82	RH

DEEP UNDERCUT BACK CAVITY PUSHES MASS DOWN  
TO LOWER THE CENTER OF GRAVITY



#### Head Material:

431 Stainless Steel

#### Ferrule Required:

Any IR ferrule with 13.2mm  
bottomOD and 0.370" ID

#### Scorelines:

U-Groove 0.8mm wide x  
2.6mm spacing x 0.35mm  
deep

#### Loft/Lie Bending:

+/-2° in any direction

#### Hosel Length/Bore Depth:

65mm/30mm

#### Hosel Weight Bore:

up to 9g

#### Lower Back Cavity

**Weight Bore:**  
up to 6g

#### Bore Diameter:

0.370"

#### Sole Width Range:

#4-5 - 20mm/22mm/17.5mm  
#6-8 -  
20.5mm/22.5mm/17.5mm  
#9-wedges -  
21mm/23mm/18mm

#### Toe/Heel Leading Edge Radius:

#4-8 - 250mm  
#9, PW, AW - 275mm  
#SW - 300mm

#### Face-Back Sole Radius:

#4-6 - 60mm/50mm  
#7-AW - 70mm/60mm  
#SW - 90mm/80mm

#### Bottom of Bore to Ground:

979SS = 1.5"



HIGH MOI, LOW CG...

WITH TWO WEIGHT BORES FOR A WIDE RANGE IN ASSEMBLY OPTIONS



# 979<sup>ss</sup>

IRONS

AVAILABLE IN: #4-PW, AW, SW

LEFT HAND AVAILABLE IN #4-PW






HIGH COR, VARIABLE THICKNESS FACE  
FOR THE MOST DISTANCE AND FORGIVENESS IN A SUPER  
GAME IMPROVEMENT IRON



CNC MACHINED VARIABLE THICKNESS FACE DELIVERS SUPERB  
OFF CENTER HIT PERFORMANCE WHILE KEEPING THE ON  
CENTER COR AS CLOSE TO .830 AS POSSIBLE



**Head/Body Material:**  
Investment cast 1020C  
Carbon Steel

**Face Material:**  
HS 300 High Strength  
Steel

**Ferrule Required:**  
Any Wishon IR ferrule  
with 13.2mm bottom OD  
and 0.370" ID

**Scorelines:**  
U-Groove; 0.75mm wide  
x 0.2mm deep x 2.6mm  
spacing; CNC Machined

**Loft/Lie Bending:**  
+/-4° in any direction

**Hosel Weight Bore:**  
up to 9g

**Hosel Length / Bore Dia. /  
Bore Depth:**  
60mm / 0.370" parallel /  
30mm

**Sole Width at Toe/Heel:**  
#4-iron: 19mm/15mm  
#7-iron: 20mm/16mm  
PW: 20.5mm/16.5mm

**Toe/Heel Leading Edge  
Radius:**  
300mm Radius for all  
771 CSI Irons

**Face to Back Sole Radius:**  
60mm Toe/40mm Heel

**Bottom of Bore to Ground:**  
771 CSI = 1.5"

- High 0.830 COR face design offers the most distance for all golfers
- CNC machined variable thickness face delivers superb off-center hit forgiveness
- Head body material is 1020C carbon steel to allow clubmakers to perform a wide range in loft and lie bending – previously all high COR thin face designs had to be mounted in a 17-4 stainless body, which limited loft and lie fitting options
- Conventional head size and shape means a wider range of golfers from low to high handicappers will like the 771CSI design
- Fully radiused sole design with rounded leading edge offers golfers the best playability from all types of grass as well as from the rough
- Available in RH in #4-9, PW, AW; LH in #4-9, PW in bright satin NiCr electroplated finish

Head	Desc	Loft	Lie	Weight	Offset	Sole Angle	Toe Height	Heel Height	Blade Length	RH/LH
771-4	4-iron	23°	59°	246g	6mm	3°	57.5mm	35.5mm	82mm	RH/LH
771-5	5-iron	26	60	253	5	3	58.5	36.5	82	RH/LH
771-6	6-iron	30	61	260	5	4	59	36.5	82	RH/LH
771-7	7-iron	34	62	267	4	4	59.5	37	82	RH/LH
771-8	8-iron	38	63	274	4	4	60	37.5	82	RH/LH
771-9	9-iron	42	64	281	3	5	61	38	82	RH/LH
771-PW	PW	46	64	283	3	5	61	38	82	RH/LH
771-AW	AW	50	64	283	3	5	61	38	82	RH





OFFERS A WIDE RANGE IN LIE AND LOFT BENDING...  
FOR CUSTOM FITTING



## 771*CSI* IRONS


AVAILABLE IN: #4-PW, AW

LEFT HAND AVAILABLE IN #4-PW

771CSI IRONS PERFORM WELL WITH S2S WHITE (P.62) AND S2S BLACK 85 IRON SHAFTS (P.60)

## PROGRESSIVE CAVITY BACK & MUSCLE BACK

### FORGED DESIGNS WITH EACH BACK DESIGN FORMED BY CNC MACHINING



- Progressive CNC machined 575MMC cavity back created in a full, #3 to 9, PW, AW set makeuk.
- Progressive cavity back design moves weight from lower on the long irons to higher on the short irons
- Progressive CNC machined 575MMC muscle back designed in a #5 to 9, PW, AW set makeup.
- Progressive milled muscleback design moves weight higher on the back through the wedges
- 575MMC set expansion allows each version to be played as a full set or in mix and match set makeup option
- More compact head size with shorter blade length offers the compact look in the playing position desired by more traditional minded players
- All new CNC machining pattern results in a beautiful milled surface finish – a truly unique look to match the solid feel of a soft 1035C carbon steel forged iron design
- CNC machined scorelines under 2010 USGA and R & A rule guidelines

#### CAVITY BACK IRONS

Head	Desc	Loft	Lie	Weight	Offset	Sole Angle	Toe Height	Heel Height	Blade Length	RH/LH
575-CB-3	3-iron	20°	59	239g	2mm	1°	52mm	29.5mm	77mm	RH
575-CB-4	4-iron	23	59.5	246	2	2	53	30	77	RH
575-CB-5	5-iron	26	60	253	2	3	54	31	77	RH
575-CB-6	6-iron	30	61	260	2	3	55	32	77	RH
575-CB-7	7-iron	34	62	267	2	4	55.5	32.5	77	RH
575-CB-8	8-iron	38	63	274	2	4	56	33	77	RH
575-CB-9	9-iron	42	64	281	2	5	57.5	34	77	RH
575-CB-PW	PW	46	64	284	2	5	59	35	77	RH
575-CB-AW	AW	50	64	284	2	5	59	35	77	RH

#### MUSCLE BACK IRONS

Head	Desc	Loft	Lie	Weight	Offset	Sole Angle	Toe Height	Heel Height	Blade Length	RH/LH
575-MB-5	5-iron	26°	60	253	2mm	3	52mm	30mm	77mm	RH
575-MB-6	6-iron	30	61	260	2	3	53	31	77	RH
575-MB-7	7-iron	34	62	267	2	4	54	31.5	77	RH
575-MB-8	8-iron	38	63	274	2	4	55	32	77	RH
575-MB-9	9-iron	42	64	281	2	5	56	33	77	RH
575-MB-PW	PW	46	64	284	2	5	57	34	77	RH
575-MB-AW	AW	50	64	284	2	5	57	34	77	RH

#### Head Material:

Forged 1035C Carbon Steel

#### Ferrule Required:

Yes, Iron model 125-IR

#### Scorelines:

U-Groove: 0.75mm wide x  
0.4mm deep x 2.6mm spacing;  
CNC Machined

#### Loft/Lie Bending:

+/-4° in any direction

#### Hosel Lgth/Bore Dia./Bore

##### Depth:

60mm / 0.370" parallel / 30mm

#### 575MMC CB Sole Width at Toe/Heel:

#5-iron: 19mm/14.5mm  
#7-iron: 20mm/15mm  
PW: 21mm/16mm

#### 575MMC MB Sole Width at Toe/Heel:

#5-iron: 16mm/13mm  
#7-iron: 17mm/14mm  
PW: 18mm/15mm

#### Toe/Heel Leading Edge Radius (Both CB and MB):

#3 to 7 = 250mm Radius  
#8 to AW = 200mm Radius

#### Face to Back Sole Radius:

#3 to 7 = 40mm/30mm Radius  
#8 to AW = 60mm/50mm Radius

#### Hosel Weight Bore:

Up to 9g

#### Bottom of Bore to Ground:

575MMC CB & MB = 1.5"

AVAILABLE FOR MIX AND MATCH SET MAKEUP...

OR IN FULL SET CAVITY OR MUSCLE BACK OPTIONS

MUSCLE BACK

CAVITY BACK

# 575 *MMC*

FORGED IRONS

CAVITY BACK AVAILABLE IN: #3-9, PW, AW

MUSCLE BACK AVAILABLE IN: #5-9, PW, AW

CAVITY BACK 5-IRON

MUSCLE BACK 8-IRON

COMPACT TRADITIONAL PROFILE



“With the addition of the back cavity lower mass, we have enhanced the on-centre impact feel while retaining the superb off-centre hit forgiveness that verified our use of CNC Machining to create the entire back of a forged, carbon steel players/improvement design. We honestly cannot create a better traditional iron than this.”

TOM WISHON


5-IRON SOLE RADIUS



6-IRON



6-IRON PROFILE



**Head Material:**  
Forged 1035C Carbon Steel

**Ferrule Required:**  
Model #125-IR

**Scorelines:**  
U-groove; 0.8mm wide X 2.6mm spacing X 0.4mm deep, CNC Machined, 2010 USGA Rules

**Loft/Lie Bending:**  
+/-4° in any direction

**Hosel Length:**  
60mm/30mm/0.370"

**Hosel Weight Bore:**  
Up to 9g

**Bore Depth:**  
30mm

**Bore Diameter:**  
0.370"

**Sole Width Range:**  
#3-iron: 17/18/15;  
#6-iron: 17/18/15;  
#9-iron: 20/20.5/16

**Face to Back Sole Radius:**  
50mm T-C/40mm H

**Toe/Heel Leading Edge Radius:**  
300mm R for all

**Bottom of Bore to Ground:**  
565MC = 1.25"

- Wishon Golf’s 2nd generation 560 Series forged iron adds a more solid on-center feel to the best off-center forgiveness in a forged carbon steel iron
- New center cavity half-moon weighting increases on-center impact feel while offering a very slight increase in shot trajectory
- Low-offset design also features a slightly thinner top line than the original 560MC
- Completely CNC machined back cavity ensures precise CG position for each head number with a beautiful cosmetic appearance
- Fully radiused tour grind type sole design — this is a model for scratch to middle handicap players
- Double nickel chrome pearl plated finish with glass bead blast highlights — CNC machined scorelines within 2010 USGA rule guidelines

Head	Desc	Loft	Lie	Weight	Offset	Sole Angle	Toe Height	Heel Height	Blade Length	RH/LH
565-3	3-iron	20°	58°	240g	2.5mm	2°	55mm	33mm	82mm	RH
565-4	4-iron	23	59	247	2.5	2	56	34	82	RH
565-5	5-iron	26	60	254	2	2	56.5	35	82	RH
565-6	6-iron	30	61	261	2	2	57	36	82	RH
565-7	7-iron	34	62	268	2	2	58	36.5	82	RH
565-8	8-iron	38	63	275	2	3	59	37	82	RH
565-9	9-iron	42	64	282	2	3	59.5	37	82	RH
565-PW	PW	46	64	285	1.5	5	60	38	82	RH
565-AW	AW	50	64	287	1.5	5	60	38	82	RH





FORGED CARBON STEEL CNC MACHINED DEEP BACK CAVITY  
FOR THE HIGHEST MOI IN A TRUE FORGED IRON DESIGN




# 565<sup>MC</sup>

FORGED IRONS

AVAILABLE IN: #3-PW, AW





- Traditional sole, classic round profile shape stands as a truly superb overall shape with pleasing set —up behind the ball
- CNC Milled Face with Wishon Golf’s proprietary Micro-Groove™scorelines to maximize every golfer’s ability to spin the ball. Tests with TrackMan® launch monitor verify a 1000rpm increase in spin rate compared to typical U-groove scorelines on a glass bead blast face
- Wishon Golf’s proprietary Zero-Bounce heel grind ensures the leading edge of the face remains low to the ground when the face is opened for cut/finesse shots
- PCF Micro Pro wedges are produced in a durable satin nickel/chromium electroplated finish. Available in both RH and LH
- Conforms to 2010 USGA/R&A groove rules

**Head Material:**  
Investment Cast  
304 Stainless  
Steel (same  
HRB85 hardness  
as Carbon Steel)

**Ferrule Required:**  
Any IR ferrule with  
13.2mm bottom  
OD

**Scorelines:**  
Micro-Groove  
U-shape, 0.6mm x  
2.1mm x 0.4mm;  
CNC Machined

**Loft/Lie Bending:**  
+/-4° in any  
direction

**Hosel Weight Bore:**  
Up to 9g

**Hosel Length/Bore  
Depth:**  
73mm/35mm

**Bottom of Bore to  
Ground:**  
1 5/8" (41mm)

Head	Desc	Loft	Lie	Weight	Offset	Sole Angle	Toe Height	Heel Height	Blade Length	Sole Width T/C/H	Sole Radius T/H	RH/LH
308-52	PW	52°	64°	284g	1.6mm	6°/0°	59mm	35.5mm	80mm	18/19/14	275mm R	RH/LH
308-56	SW	56°	64°	300g	1.6mm	12°/0°	59.5mm	35.5mm	80mm	19/20/14.5	250mm	RH/LH
308-60	LW	60°	64°	294g	1.6mm	8°/0°	59.5mm	35.5mm	80mm	19/20/14.5	250mm	RH/LH



A UNIQUE RE-DESIGN OF WISHON'S BESTSELLING WEDGE MODEL...  
WITH TRADITIONAL SOLE & CLASSIC ROUND PROFILE



## PCF MICRO PRO WEDGES

AVAILABLE IN: 52° (PW), 56° (SW), 60° (LW)

LEFT HAND AVAILABLE IN: 52° (PW), 56° (SW), 60° (LW)

CNC MILLED FACE  
WITH WISHON  
GOLF'S PROPRIETARY  
MICRO-GROOVE™  
SCORELINES






CLASSIC TEAR-DROP PROFILE SHAPE...  
WITH THE MOST VERSATILE SOLE DESIGN IN THE GAME

MICRO-GROOVE HM FULL  
RADIUS SOLE DESIGN

FRONT SOLE KNOCK  
DOWN GRIND

ZERO-BOUNCE  
HEEL GRIND

MICRO-GROOVE HM CLASSIC  
TEAR-DROP PROFILE SHAPE



**Head Material:**  
Investment Cast  
8620 Carbon Steel

**Ferrule Required:**  
Any 0.370" IR ferrule  
with 13.2mm bottom  
OD

**Scorelines:**  
Micro-Groove  
U-shape, 0.6mm x  
2.3mm x 0.4mm;  
Horizontal Milled

**Loft/Lie Bending:**  
+/-4° in any direction

**Hosel Length:**  
60mm

**Hosel Weight Bore:**  
Up to 9g

**Hosel Length/Bore  
Depth/Bore Diam:**  
65mm/30mm/0.370"

**Bottom of Bore to  
Ground:**  
Micro-Groove HM  
= 1.5"

- The popular HM Series wedges feature a unique custom sole grind to increase playability for more types of wedge shots
- Zero Bounce heel grind removes the bounce from the heel end of the sole for more consistency when the face is opened to hit finesse and cut shots
- Front sole Knock Down grind allows golfers to more easily play low, driving, hands forward shots without digging the leading edge into the ground
- Center to rear sole grind offers conventional bounce for normal shots from all lie conditions
- Beautiful pearl NiCr plated finish over the 8620 carbon steel body offers a soft feel with a long lasting appearance. Available in RH in 52\* AW, 56\* SW and 60\* LW

Head	Desc	Loft	Lie	Weight	Offset	Sole Angle	Toe Height	Heel Height	Blade Length	Sole Width T/C/H	Sole Radius T/H	RH/LH
304-AW	AW	52°	64°	283g	2mm	6°	60mm	36.5mm	82mm	18/20/13	70mm/50mm	RH
304-SW	SW	56°	64°	296g	2mm	12°	61mm	38mm	82mm	19/21/14	70mm/50mm	RH
304-LW	LW	60°	64°	292g	2mm	10°	60.5mm	37mm	82mm	18.5/20.5/14	70mm/50mm	RH





MICRO-GROOVE HM LOW  
OFFSET DESIGN



## MICRO-GROOVE HM WEDGES

AVAILABLE IN: AW (52°), SW (56°), LW (60°)

HORIZONTAL CNC MILLING WITH MICRO-GROOVE™ SCORELINES






# PCF

## PLATINUM WEDGES

AVAILABLE IN: 52° (AW), 56° (SW), 60° (SW/LW)



**Head Material:**  
Investment Cast  
304 Stainless  
Steel (The same  
HRB85 hardness as  
Carbon Steel)

**Ferrule Required:**  
Any iron ferrule  
with 13.2mm  
bottom OD

**Scorelines:**  
Micro-Groove™  
U-shaped,  
0.6mm x 2.0mm x  
0.4mm;  
CNC Machined

**Loft/Lie Bending:**  
+/-4° loft or lie

**Hosel Weight Bore:**  
Up to 9g


**Hosel Length/Bore  
Depth:**  
65mm/35mm

**Bottom of Bore to  
Ground:**  
PCF Wedges = 1.5"

- Traditional sole, classic shape/profile stands as the finest overall shape and set-up behind the ball in a Wishon Golf original wedge design
- CNC milled face with Micro-Groove™ scorelines to fully maximize every golfer's ability to spin the ball. Tests with Trackman™ launch monitor verify a 1000 rpm increase in spin rate compared to typical U-groove scorelines on bead blast face
- Zero-Bounce grind heel ensures the leading edge remains low to the ground when the face is rolled open for finesse shots
- Available in dark nickel plating finish in 52°, 56°, 60°
- Conforms to 2010 USGA and R & A groove rules

Head	Desc	Loft	Lie	Weight	Offset	Sole Angle	Toe Height	Heel Height	Blade Length	Sole Width T/C/H	Sole Radius T/H	RH/LH
307-52	AW	52°	64°	284g	2mm	5/0	59mm	35.5mm	80mm	18/19/14	275mm	RH
307-56	SW	56°	64°	300g	2mm	12/0	59.5mm	36mm	80mm	19/20/14.5	250mm	RH
307-60	SW/LW	60°	64°	295g	2mm	8/0	59.5mm	36mm	80mm	19/20/14.5	250mm	RH

\*Note: First number is the primary sole angle. Second number is the zero-bounce grind sole on the heel side.



# PCF WIDE SOLE WEDGE

AVAILABLE IN 55° (SW)

**Head Material:**  
Investment Cast 304  
Stainless Steel (The  
same HRB85 hardness  
as Carbon Steel)

**Ferrule Required:**  
Any iron ferrule  
with 13.2mm bottom  
OD

**Scorelines:** Micro-  
Groove™ U-shaped,  
0.6mm x 2.0mm x  
0.4mm;  
CNC Machined

**Loft/Lie Bending:**  
+/-4° loft or lie

**Hosel Weight Bore:**  
Up to 9g

**Hosel Length/Bore  
Depth:**  
65mm/35mm

**Bottom of Bore to  
Ground:**  
PCF Wedges = 1.5"



LOW BOUNCE  
WIDE SOLE DESIGN

- Unique 2-piece design construction allows game improvement wide sole with traditional head profile at normal headweights
- The wide sole is designed with very low bounce — the perfect match of sole angle and width for game improvement. If you put the traditional amount of bounce on a wide sole, the leading edge will be too far up in the air and can cause bladed shots
- Ideal wide sole designed for game improvement — perfect for golfers who have struggled to get the ball out of the sand or hit consistently from tall grass around the green

Head	Desc	Loft	Lie	Weight	Offset	Sole Angle	Toe Height	Heel Height	Blade Length	Sole Width T/C/H	Sole Radius T/H	RH/LH
306WS-55	SW	55°	64°	300g	2mm	5°	58.5mm	35mm	80mm	28.5/32/23.5	275mm R	RH

- Wishon Golf has created a pair of custom designed steel wedge shafts for golfers who desire a custom flight and feel option in their wedges
- High Flight wedge shaft is designed with a longer tip parallel section to allow a slightly higher, softer landing shot into the green
- Knock Down wedge shaft is designed with a very short parallel tip section to restrict the bending of the tip to allow golfers to hit knock-down shots with a firmer feel on a more driving trajectory

## WEDGE SHAFTS

Shaft	Description	Butt Dia.	Tip Dia.	Wgt	Length	Tip Trim	Butt Trim
605-WG-KD	Knock Down Wedge Shaft	0.580"	0.370"	105g	36"	0"	To length
605-WG-HF	High Flight Wedge Shaft	0.580	0.370	125	42	0	To length






WISHON GOLF'S NEW COLLECTION OF QUALITY PUTTER DESIGNS...  
WITH 3 Mallet Style Options AND 1 OVERSIZE HEEL/TOE MODEL

- Open Cavity Design in each putter allows higher MOI for superb off centre hit performance
- Three Mallet style designs with different alignment aid options to fit a wide range of golfers
- The Cavity Black Heel/Toe Model is oversize for easier alignment and higher MOI
- Black Oxide finish with striking red and bead blast highlights
- All models available in RH; Models 1 and 3 are available in LH.

Head	Loft	Lie	Weight	Face Height	Head Length	Face Prog.	Shaft to Use	RH/LH
TWCB-1	3°	71°	355g	25mm	122mm	-4.5	Straight	RH/LH
TWCB-2	4°	72°	365g	23mm	117mm	-4.0	Straight	RH
TWCB-3	3°	90°*	350g	22.5mm	102mm	4.0**	Single Bend/ Offset Double Bend	RH/LH
TWCB-4	3°	72°	380g	24.5mm	99mm	-4.5	Straight	RH

\*90° Bore requires single bend or offset double bend putter shaft with the lie bent into the shaft.  
\*\*Face Progression of +4.0mm is based on measurement with a single bend shaft installed. When using a double bend shaft, face progression is determined by the shaft's second bend.



**Head Material:**  
17-4 Stainless Steel

**Method of Mfg:**  
Investment Cast

**Ferrule Required:**  
No

**Bore Diameter:**  
For all Putters -  
0.370" parallel

**Loft/Lie Bending:**  
For Models 1, 2, 4 -  
+/-2° in all directions  
by hosel  
  
For Model 3 – Loft/  
Lie bending has to  
be done on the shaft





CB-1



CB-2



CB-3



CB-4

## CAVITY BLACK

PUTTERS

NEW FOR 2019

ALL MODELS AVAILABLE IN RH  
MODELS 1 & 3 AVAILABLE IN LH



PUTTER FITTING ELEMENTS

- Length - Golfer’s arms extended but relaxed with no tension or stretching out of the arms.
- Loft - Hands ahead at impact - putter loft 5° to 6°; Hands in line with the ball at impact - putter loft 4°; Hands behind ball at impact - putter loft 2° to 3°.
- Lie - Putter head must sit flat on its sole touching the ground in the center of the sole.
- Weighting - Finding the right amounts of weight in the head AND counterweights in the butt end of the shaft typically have to be found by experimentation with a test putter.
- Grip Style/Size - Each golfer has to experiment with different putter grip styles and sizes to find their own best feel and comfort. Keep grip samples on shafts in your shop.



USE COUNTERWEIGHTS TO IMPROVE PUTTING CONSISTENCY

Many golfers have achieved a much higher level of putting consistency using a heavy counterweight in the butt-end of the shaft. Great for golfers who suffer from distance control. Easy to install through the end of any rubber grip with the installation cutting tool. Locks securely in place with hex wrench. Can be easily changed, removed anytime.

Sold individually or in a handy Kit Form with one of each weight plus installation tool and hex wrench. Individual installation tools and hex wrenches also available.




ITEM #	WEIGHT	FOR
#TW116-12	12g	Full Clubs
#TW116-20	20g	Full Clubs
#TW116-30	30g	Full Clubs
#TW116-40	40g	Full Clubs
#TW116-60	60g	Putters
#TW116-80	80g	Putters
#TW116-100	100g	Putters
#TW116-KIT	One of Each Weight + Wrench & Tool	
#TW116-HEXWRENCH	Securing weights	
#TW116-TOOL	Installing weights	

PUTTER GRIPS

Grip Name	Model #	Grip Size/Color	Upper Hand Dia. (2")	Lower Hand Dia. (6")	Wgt.	Core
Super Jumbo Putter Grip	405-SUP-JBO	Super Jumbo-Red/Black	1.5"	1.5"	80g	0.600"
Mid Size Putter	404-PTR-MIDSIZE	Mid Size Red/Blk	1.12"	1"	110g	0.600"

PUTTER SHAFTS

See Diamond Golf Catalogue for full range of Putter Shafts from a wide variety of shaft manufacturers.



GRAPHITE AND STEEL SHAFTS CUSTOM DESIGNED BY  
WISHON GOLF TO SPECIFIC GOLFER SWING CHARACTERISTICS

# S2S



## **S2S** WHITE GRAPHITE

S2S White has a medium tip section to better fit golfers with an average to slightly above average transition/tempo with a midway release



## **S2S** GREEN GRAPHITE

For the less skilled to average golfer with a smoother to average transition/tempo with an early to early-midway release



## **S2S** BLUE GRAPHITE

S2S Blue Iron and Hybrid shafts are designed for golfers who need the lightest total weight in the irons and hybrids - women, seniors and anyone who prefers a lighter feel



## **S2S** RUBY LITE GRAPHITE

Designed to match to the model 730CL clubheads for slower swing speed players



## **S2S** BLACK GRAPHITE

For the better than average to good player with an average to above average transition/tempo with a late-midway to later release



## **S2S** RED GRAPHITE

For the most aggressive swing golfer with a late to very late release for more control and stability through impact



## **S2S** SUPERLITE STEEL

Much lighter than the S2S Stepless, the Superlite is for players with an average to slightly above average transition and tempo with a release from slightly before midway to slightly later than midway



## **S2S** SMOOTH STEEL

S2S Stepless is designed for stronger golfers with an above average to forceful/fast transition and tempo with a later to very late release

## HOW TO FIT GOLFERS WITH THE BEST *S2S* SHAFT DESIGN...

- 1 Measure the clubhead speed of the golfer. Driver/3 wood speed for wood shaft fitting; 5- or 6-iron speed for iron and hybrid shaft fitting.
- 2 Evaluate the golfer's downswing transition move to start the downswing as smooth (1), average (2), or forceful/aggressive (3).
- 3 Evaluate the golfer's downswing tempo/acceleration as smooth (1), average (2), aggressive (3).
- 4 Identify the point in the downswing when the golfer unhinges the wrist-cock angle as early (1), midway (2), or late (3).
- 5 Evaluate the golfer's physical strength as below average (1), average (2), or well above average (3).
- 6 Log on to [www.wishongolf.com](http://www.wishongolf.com) to access the free Wishon Golf S2S Shaft Fitting Software. Enter each of the golfer inputs for wood and iron clubhead speed and the evaluations for the golfer's transition, tempo, release and strength. Click "Make Shaft Recommendation" to determine the best Wishon custom designed S2S Fitting System wood shaft, graphite iron shaft, steel iron shaft, hybrid shaft along with any required trimming adjustments to properly fit the golfer.

Each custom designed S2S shaft includes the designed clubhead speed range and the golfer's transition, tempo, release and strength ratings for which the shaft is designed.





## S2S SHAFT FITTING PROGRAM IS FREE TO USE TO DETERMINE THE RIGHT S2S SHAFT DESIGN FOR YOUR GOLFERS...

S2S Shaft Model	Transition	Tempo	Release	Strength
S2S Green	Smooth/Easy to Average	Smooth/Easy to Average	Early to Early-Midway	Below Average to Average
	1 to 2	1 to 2	1 to 2	1 to 2
S2S White	Average to Slightly Above Avg	Average to Slightly Above Avg	Around Midway	Average (63g) to Above Average (83g)
	2 to 2.25	2 to 2.25	1.75 to 2.25	1 to 3
S2S Black	Average to Above Avg	Average to Above Avg	Midway to Later	Average (65g) to Above Avg (85g)
	2 to 2.5	2 to 2.5	2 to 2.5	2 to 3
S2S Red	Above Avg to Forceful	Above Avg to Fast, Quick	Later to Very Late	Average to Slightly Above Avg
	2.5 to 3	2.5 to 3	2.5 to 3	2 to 2.5
S2S Blue	Smooth/Easy to Average	Smooth/Easy to Average	Around Midway (AA & A) Midway to Later (R & S)	Below Average to Average
	1 to 2	1 to 2	1.75-2.25 (AA & A)	1 to 2
			2 to 2.5 (R & S)	
S2S Ruby Lite	Smooth/Easy to Average	Smooth/Easy to Average	Early to Early-Midway	Below Average to Average
	1 to 2	1 to 2	1 to 1.5	1 to 2
S2S Smooth Steel	Average to Forceful	Average to Fast, Quick	Later to Very Late	Above Average
	2 to 3	2 to 3	2.5 to 3	2.5 to 3
S2S Superlite Steel	Average to Slightly Above Avg	Average to Slightly Above Avg	Around Midway	Average to Slightly Above Avg
	2 to 2.25	2 to 2.25	1.75 to 2.25	2 to 2.5

*Note: Please note the transition, tempo, release and strength fitting evaluations may be a little different for some S2S shaft designs from previous years. This represents slight bend profile design adjustments made in some models as well as from Wishon Golf's ongoing shaft fitting research.*

Wishon's S2S Shaft Fitting software is free and easy to use. Go to [wishongolf.com](http://wishongolf.com), click on the link for Clubmakers and find the link to the S2S Shaft Fitting software on the left side of the page.

Enter the golfer's wood and iron swing speeds, select the golfer's Transition/Tempo/Release/Strength ratings then click on "Make Shaft Recommendation." Not only does the program recommend the exact S2S shaft designs for the golfer's wood, graphite iron, steel iron and hybrid shaft but it also indicates if the golfer needs a custom tip trim on any of the recommended shafts.

**Tom Wishon Golf TECHNOLOGY**

**S2S SHAFT TO SWING SHAFT FITTING SYSTEM**

**All 2014 Updates to the S2S Shaft Fitting Program are now Complete.**

Golfer Driver/3 wood Clubhead Speed (enter speed from 50-120 mph)  mph

Golfer 5- / 6-iron Clubhead Speed (enter speed from 40-100 mph)  mph

Golfer Downswing Transition Rating

Golfer Downswing Tempo Rating

Golfer Wrist-Cock Release Position

Golfer Physical Strength Rating

**Make Shaft Recommendation**

S2S Wood Shaft Recommendation  Adjust Tip Trim

S2S Iron Shaft (Graphite) Recommendation  Adjust Tip Trim

S2S Iron Shaft (Steel)  Adjust Tip Trim

S2S Hybrid Shaft Recommendation  Adjust Tip Trim

FOR THE LESS SKILLED TO AVERAGE GOLFER...

WITH A SMOOTH TO AVERAGE TRANSITION/TEMPO WITH AN EARLY TO MIDWAY RELEASE



## S2S GREEN

### GRAPHITE WOOD & IRON SHAFTS

- S2S Green graphite shafts are available in both woods and irons, in both an A/L combination flex and a new R/S combination flex to now fit a wider range of golfers with smooth to average swing characteristics
- S2S Green golfer type – driver swing speeds from 50-70mph to 70-90mph, smoother to average transition force, slower to average tempo, early to midway release
- Combination flex design offers more versatility for custom trimming to achieve “in between” flex fitting requirements, and to keep inventory levels lower in the shop
- No flex letters are printed on the A/L shafts to allow “vanity” fitting for golfers who need a more flexible shaft but do not want others to know what flex they are using. Regular/Stiff is printed on the R/S combination flex S2S Green shafts

TRANSITION	TEMPO	RELEASE	STRENGTH
1 TO 2	1 TO 2	1 TO 2	1 TO 2

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	Swing Speed	Bend Profile Design (cpm/454g tip weight)						
								41"	36"	31"	26"	21"	16"	11"
650-WD-A/L	Cut to L Flex Wood	66g/62g	0.580"/0.335"	4.5*	46"	22"	50-60mph (1w)	148	166	190	230	290	410	710
	Cut to A Flex Wood		0.580"/0.335"				60-70mph (1w)	156	175	199	239	310	435	725
650-WD-R/S	Cut to R Flex Wood	67g/63g	0.600"/0.335"	4.3*	46"	21.8"	70-80mph (1w)	164	184	208	248	330	460	740
	Cut to S Flex Wood		0.600"/0.335"				80-90mph (1w)	172	193	217	257	350	485	765
650-IR-A/L	Cut to L Flex Iron	65g/62g	0.580"/0.370"	4.0*	41"	20"	40-50mph (5i)		182	215	255	320	450	730
	Cut to A Flex Iron		0.580"/0.370"				50-60mph (5i)		189	223	262	335	460	745
650-IR-R/S	Cut to R Flex Iron	66g/63g	0.600"/0.370"	3.9*	41"	19.8"	60-70mph (5i)		196	231	270	350	470	760
	Cut to S Flex Iron		0.600"/0.370"				70-80mph (5i)		203	239	278	365	480	775

See pages 70-71 for Shaft Trim Charts. S2S Green AA (L) & A Woods – Chart B; S2S Green R & S Woods – Chart B; S2S Green AA (L) & A Irons – Chart D; S2S Green R & S Irons – Chart D.

Balance Point Measured from Butt End down.

PERFECTLY MATCHES WITH THE 730CL SET...  
FOR GOLFERS WITH SWING SPEED UNDER 80MPH

## S2S RUBY LITE

GRAPHITE WOOD, HYBRID/IRON & WEDGE SHAFTS



MATCHES WITH 730CL SET  
(SEE PAGE 24-25)

- Very butt soft and very tip soft bend profile designed in discrete AA (L) and A flexes for golfers of less than 80mph swing speed with a smooth, passive transition/tempo and early to midway release. S2S Ruby Lite wedge shaft remains as a combination A/AA flex design
- S2S Ruby Lite hybrid iron shafts designed with a 0.335" tip diameter to ensure a high launch and superb performance for the 730CL hybrid iron clubs
- S2S Ruby Lite is more butt flexible and significantly more tip flexible than the former 730CL graphite shafts – a perfect re-design for the sub-80mph golfer with smooth and passive downswing force in their swing

TRANSITION	TEMPO	RELEASE	STRENGTH
1 TO 2	1 TO 2	1 TO 1.5	1 TO 2

Shaft	Flex	Shaft Type	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	Swing Speed	Bend Profile Design (cpm/454g tip weight)						
									41"	36"	31"	26"	21"	16"	11"
630-WD-AA	AA	Wood	65g/61g	0.590/0.335"	5.5°	44"	21.55"	45–60mph	140	160	185	225	280	400	680
630-WD-A	A	Wood	67/63	0.590/0.335	5.0	44	21.65	60–75	151	170	200	240	300	425	705
630-IR-AA	AA	Hybrid Iron	68/65	0.590/0.335	4.5	39	19.2	40–50	X	188	215	256	320	455	760
630-IR-A	A	Hybrid Iron	70/67	0.590/0.335	4.2	39	19.0	50–60	X	200	227	270	340	480	790
630-WG-A/L	A/AA	Wedge	75/72	0.590/0.370	4.5	36	18.0	40–60	X	X	223	263	333	460	790

See page 70-71 for Shaft Trim Charts. S2S Ruby Lite Woods (all flexes) – Chart B; S2S Ruby Lite Hybrid Irons (all flexes) – Chart E; S2S Ruby Lite Wedge (combo flex) – See Note Under Chart E; Balance Point measured from Butt End.

FOR PLAYERS WITH BETTER THAN AVERAGE TO GOOD SWING CHARACTERISTICS  
WITH AN AVERAGE TO MORE AGGRESSIVE DOWNSWING MOVE AT THE BALL...



# S2S BLACK

GRAPHITE WOOD, IRON & HYBRID SHAFTS

- S2S Black has a slightly stiffer tip section to better fit golfers with an average to above average transition/tempo with a release that can be from midway to late
- The slightly stiffer tip section is created to allow the S2S Black to offer more stability at impact, but not so tip stiff that it cannot be a good choice for the slightly more aggressive player with a midway release
- S2S Black graphite shafts are available for woods and irons in R and S flexes to fit driver swing speeds from 60mph up to 100mph, and iron swing speeds from 55mph to 85mph
- S2S Black wood shafts are designed in both 65g and 85g versions; 65g to offer the average transition/tempo player his ideal total weight, 85g to give the stronger player a heavier total weight for better swing repeatability
- S2S Black iron shafts are designed to allow the better player to move into graphite for the irons to lower the total weight but still get the firm tip performance and feel he was used to in a players' steel iron shaft
- S2S Black hybrid shafts for players with a semi-late to late release with above average transition and tempo force and above average strength

### BLACK GRAPHITE WOOD & IRON SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH
2 TO 2.5	2 TO 2.5	2 TO 2.5	2 TO 3

### BLACK GRAPHITE HYBRID SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH
2 TO 2.5	2 TO 2.5	2 TO 2.5	2 TO 3



## BLACK 65 &amp; 85 GRAPHITE WOOD SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	Dr Swing Speed	Bend Profile Design (cpm/454g tip weight)						
								41"	36"	31"	26"	21"	16"	11"
660-PRO-65-R	R	65g/61g	0.602/0.335	3.6°	46"	22"	85-100mph	168	188	224	275	350	500	825
660-PRO-65-S	S	65/61	0.605/0.335	3.4	46	22"	95-110mph	176	200	236	284	365	515	850
660-PRO-85-R	R	85/81	0.602/0.335	3.4	46	21.25	85-100mph	168	186	224	275	350	500	825
660-PRO-85-S	S	85/81	0.605/0.335	3.2	46	21.25	95-110mph	176	200	236	284	365	515	850
660-PRO-85-X	X	85/81	0.605/0.335	3.0	46	21.75	105-120mph	184	212	248	295	380	540	875

## BLACK 85 GRAPHITE IRON SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g tip weight)					
								36"	31"	26"	21"	16"	11"
660-IR-R	R	85g/82g	0.602"/0.370"	3.2°	41"	20.75"	65-75	205	240	280	360	515	860
660-IR-S	S	85/82	0.602/0.370	3.0	41	20.75	75-85	216	260	305	390	545	900

See page 70-71 for Shaft Trim Charts. S2S Black 65/85 R, S and X flex Woods – Chart A; S2S Black R, S flex Irons – Chart C; Balance Point measured from Butt End.

## BLACK GRAPHITE HYBRID SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g tip weight)					
								36"	31"	26"	21"	16"	11"
645-R	R	95g/92g	0.602"/0.335"	3.2	41	18.6	65-80	215	245	290	375	530	850
645-S	S	100/97	0.602/0.335	3.0	41	18.5	75-90	225	260	315	400	550	875

See page 70-71 for Shaft Trim Charts. S2S Black Hybrids (all flexes) – Chart E; Balance Point is measured from Butt End.



DESIGNED FOR THE WIDEST RANGE OF GOLFERS...  
WITH AVERAGE SWING CHARACTERISTICS

# S2S WHITE

GRAPHITE WOOD, IRON & HYBRID SHAFTS

- S2S White is Wishon Golf’s most popular shaft for golfers with average swing characteristics: ideal for golfers with smooth to average tempo and average strength
- S2S White retains its popular bend profile design for average golfers, designed with a slightly stiffer lower tip section to offer more control through impact for tighter dispersion
- S2S White hybrid shafts are for average ability golfers who need a lighter weight hybrid shaft

WHITE GRAPHITE WOOD & IRON SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH
2 TO 2.25	2 TO 2.25	1.75 TO 2.25	1.75 TO 2

WHITE GRAPHITE HYBRID SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH
2 TO 2.25	2 TO 2.25	1.75 TO 2.25	1.75 TO 2



#### WHITE GRAPHITE WOOD SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	Dr Swing Speed	Bend Profile Design (cpm/454g tip weight)						
								41"	36"	31"	26"	21"	16"	11"
610-WD-A	A	63g/59g	0.594"/0.335"	4.0*	45"	21.25"	60-75mph	155	180	211	251	321	450	750
610-WD-R	R	65/61	0.594/0.335	3.9*	45	21.25	75-90mph	165	192	224	268	340	465	775
610-WD-S	S	67/63	0.602/0.335	3.8*	45	21.25	90-105mph	175	204	238	281	359	485	800

#### WHITE GRAPHITE IRON SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g tip weight)					
								36"	31"	26"	21"	16"	11"
610-IR-A	A	74g/71g	0.594"/0.370"	3.7°	41"	20.5"	55-65mph	194	222	264	336	460	755
610-IR-R	R	77/74	0.598/0.370	3.5	41	20.4	65-75	205	235	279	355	475	775
610-IR-S	S	79/76	0.598/0.370	3.3	41	20.15	75-85	216	247	294	375	490	795

See page 70-71 for Shaft Trim Charts. S2S White A flex Woods – Chart B; S2S White R, S flex Woods – Chart A; S2S White A flex Irons – Chart D; S2S White R, S flex Irons – Chart C; Balance Point measured from Butt End.

#### WHITE GRAPHITE HYBRID SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g tip weight)					
								36"	31"	26"	21"	16"	11"
635-A	A	73/70	0.594/0.335	3.8	41	19.6	55-65	202	230	260	335	480	800
635-R	R	75/72	0.598/0.335	3.7	41	19.4	65-75	212	240	275	355	495	825
635-S	S	78/75	0.602/0.335	3.5	41	19.2	75-85	222	250	290	375	510	845

See page 70-71 for Shaft Trim charts. S2S White Hybrids (all flexes) - Chart E; Balance Point is measured from Butt End.

A UNIQUE STIFF BUTT/SOFT CENTRE/STIFF TIP DESIGN...  
FOR MORE AGGRESSIVE, LATE RELEASE PLAYERS TO PLAY STIFF FOR CONTROL  
WITHOUT FEELING TOO STIFF

# S2S RED

GRAPHITE WOOD, IRON & HYBRID SHAFTS

- S2S Red designed with a unique, different bend profile. The butt stiff/center soft/tip stiff design of the S2S Red offers the better player a high performance shaft for better control with solid, not too stiff feel
- S2S Red shafts are for golfers with an above average to forceful transition and average to fast tempo with a later to very late release to deliver more clubhead stability at impact for control and accuracy but without a “boardy stiff” feel
- Fitting difference between S2S Red and S2S Black – the S2S Red and the S2S Black shaft designs can both be played by any golfer with a later to very late release, but the S2S Red is a better fit for the golfer who is a little to a lot more forceful and aggressive on the downswing
- S2S Red iron shafts offer the same butt stiff/center soft/tip stiff design in a heavier >100g shaft weight for players who wish to switch from steel who are comfortable with a little heavier total weight in the irons
- S2S Red hybrid shafts for players with a very late release, with average to above average transition and tempo force with average strength

## RED GRAPHITE WOOD & IRON SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH (W)	STRENGTH (I)
2.5 TO 3	2 TO 3	2.5 TO 3	2 TO 2.5	2 TO 2.5

## RED GRAPHITE HYBRID SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH
2.5 TO 3	2.5 TO 3	2.5 TO 3	2 TO 2.5



## RED GRAPHITE WOOD SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	Dr Swing Speed	Bend Profile Design (cpm/454g tip weight)						
								41"	36"	31"	26"	21"	16"	11"
675-WD-R	R	65g/61g	0.602"/0.335"	3.6*	45"	20.8"	85-100mph	184	205	222	253	310	500	920
675-WD-S	S	66/62	0.606/0.335	3.4	45	20.8	95-110mph	192	215	235	272	336	525	965

See page 70-71 for Shaft Trim Charts. S2S Red R, S flex Woods – Chart A; S2S Red R, S flex Irons – Chart C;  
Balance Point measured from Butt End.

## RED GRAPHITE IRON SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g tip weight)					
								36"	31"	26"	21"	16"	11"
675-IR-R	R	105/101g	0.602"/0.370"	3.4*	41"	20.75"	75-85mph	217	240	275	330	510	950
675-IR-S	S	110/107	0.606/0.370	3.2	41	20.75	85-95mph	225	250	285	345	525	975

See page 70-71 for Shaft Trim Charts. S2S Red R, S flex Woods – Chart A; S2S Red R, S flex Irons – Chart C;  
Balance Point measured from Butt End.

## RED GRAPHITE HYBRID SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g tip weight)					
								36"	31"	26"	21"	16"	11"
675-HY-R	R	80g/77g	0.610/0.335	3.6°	41"	18.4"	70-80mph	220	245	270	350	480	875
675-HY-S	S	83/80	0.614/0.335	3.6	41	18.4	80-90	230	255	285	365	500	900

See page 70-71 for Shaft Trim Charts. S2S Red Hybrids (all flexes) – Chart E; Balance Point is measured from Butt End.



S2S BLUE 45/55 - THE LIGHTEST SHAFT FITTING OPTIONS...  
FOR DRIVERS, FAIRWAY WOODS, IRONS AND HYBRIDS

## S2S BLUE

GRAPHITE WOOD, IRON & HYBRID SHAFTS

- S2S Blue 45 and 55 are the lightest weight shafts to offer light total weights for golfers with smooth/average transition/tempo
- S2S Blue iron shafts in AA, A and R flexes offer the lightest total weight of any iron shaft in the S2S shaft design line
- S2S Blue hybrid shafts are for average ability golfers who need the lightest total weight

### BLUE 45 GRAPHITE WOOD SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH
1 TO 2	1 TO 2	1.75 TO 2.25	1 TO 2

### BLUE 55 GRAPHITE WOOD SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH
1 TO 2	1 TO 2	2 TO 2.5	1 TO 2

### BLUE 55 GRAPHITE IRON SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH
1 TO 2	1 TO 2	1.75 TO 2.25	1 TO 2

### BLUE 55 GRAPHITE HYBRID SHAFTS

TRANSITION	TEMPO	RELEASE	STRENGTH
1 TO 2	1 TO 2	1.75 TO 2.25	1 TO 2



#### BLUE 45 & 55 GRAPHITE WOOD SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	Dr Swing Speed	Bend Profile Design (cpm/454g tip weight)						
								41"	36"	31"	26"	21"	16"	11"
617-WD-AA	AA (L)	47g/43g	0.590"/0.335"	5.5°	45"	22.3"	50-65mph	145	165	190	230	290	410	715
617-WD-A	A	48/44	0.590/0.335	5.0	45	22.0	60-75mph	155	175	196	236	300	420	730
607-WD-R	R	55/51	0.600/0.335	4.2	46	23.75	75-90mph	165	185	216	263	331	445	750
607-WD-S	S	55/51	0.600/0.335	3.8	46	23.75	85-100mph	175	195	226	273	343	460	775

#### BLUE 55 GRAPHITE IRON SHAFTS

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g tip weight)					
								36"	31"	26"	21"	16"	11"
607-IR-AA	AA	54g/51g	0.594"/0.370"	4.8°	42"	21.25"	<55mph	182	212	260	330	450	760
607-IR-A	A	55/52	0.594/0.370	4.5	42	20.75	55-65	196	228	278	352	480	790
607-IR-R	R	56/53	0.598/0.370	4.2	42	21	65-75	210	245	298	374	500	815

See page 70-71 for Shaft Trim Charts. S2S Blue 45 Woods AA flex — Chart B; S2S Blue 45 A flex — Chart B; S2S Blue 55 Wood R, S flexes — Chart A; Blue 55 Iron AA Flex - Chart D; Blue 55 Iron A, R Flexes - Chart C. Balance Point measured from Butt End.

#### BLUE 55 GRAPHITE HYBRID SHAFTS

ITEM #	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g tip weight)					
								36"	31"	26"	21"	16"	11"
607-HYB-AA	AA	54/51	0.588/0.335	4.5	41	20.5	40-50	180	215	260	325	450	780
607-HYB-A	A	55/52	0.592/0.335	4.2	41	20.5	50-60	195	230	280	350	480	800
607-HYB-R	R	56/53	0.600/0.335	3.9	41	20.25	60-75	210	245	300	380	505	830

See page 70-71 for Shaft Trim charts. S2S Blue 55 Hybrids (all flexes); Balance Point is measured from Butt End.



WISHON’S MEDIUM WEIGHT STEPLESS STEEL IRON DESIGN...  
FOR BETTER THAN AVERAGE TO GOOD PLAYERS



**S2S SMOOTH STEEL** NEW LOOK  
STEEL IRON SHAFTS

- S2S Smooth Steel is designed for better players with above average strength and with stronger than average Transition force
- S2S Smooth Steel bend profile is ideal for golfers with a midway to very late release who also are average to above average in their transition force and tempo. Golfers with an early to midway release and smooth to average transition/tempo, who wish to play steel, should use the S2S Superlite steel iron shafts
- S2S Smooth Steel iron shafts are available in R and S flexes – 42” raw length for the R flex and 40” for the S flex to make it easier to keep the two flex versions from being mixed up due to the stepless design
- For 2019, the S2S Steel shaft models feature a smart modern screen print graphic replacing the traditional self-stick labels. Also included will be a self-stick plain black decal for flex designation



TRANSITION	TEMPO	RELEASE	STRENGTH
2 TO 3	2 TO 3	2.5 TO 3	2.5 TO 3

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g t3)					
								36"	31"	26"	21"	16"	11"
605-Stepless-R	R	120g/117g	0.602"/0.370"	3.0°	42"	20.5"	65-80	212	244	302	387	530	870
605-Stepless-S	S	115/112	0.602/0.370	2.9	40	19.5	75-90	220	260	317	405	550	900

See page 70-71 for Shaft Trim Charts. S2S Stepless R, S flexes – Chart C; Balance Point measured from Butt End.



## S2S SUPERLITE STEEL IRON SHAFTS...

DESIGNED FOR GOLFERS WHO PREFER THE FEEL OF STEEL BUT AT A LIGHTER WEIGHT



## S2S SUPERLITE STEEL NEW LOOK STEEL IRON SHAFTS

- S2S SuperLite steel designed to be more tip flexible than the S2S Stepless steel iron shafts for golfers with an earlier to midway release.
- Sub-100 gram weight of the S2S SuperLite steel iron shafts offers a lighter total weight but at a more economical price than other sub-100 gram steel shafts.
- S2S SuperLite steel designed for golfers with an slightly less forceful to average transition and tempo who prefer the impact feel of a steel iron shaft over graphite.
- S2S SuperLite steel available in R and S flexes
- For 2019, the S2S Steel shaft models feature a smart modern screen print graphic replacing the traditional self-stick labels. Also included will be a self-stick plain black decal for flex designation



Self-stick label for flex designation

TRANSITION	TEMPO	RELEASE	STRENGTH
2 TO 2.25	2 TO 2.25	1.75 TO 2.25	2 TO 2.5

Shaft	Flex	Raw/Cut Weight	Butt/Tip Diameter	Torque	Raw Length	Balance Point	5i Swing Speed	Bend Profile Design (cpm/454g tip weight)					
								36"	31"	26"	21"	16"	11"
605-Superlite-R	R	106g/103g	0.602"/0.370"	3.2°	42"	20"	65-75mph	213	255	318	380	505	775
605-Superlite-S	S	102/99	0.602/0.370	3.1	40	19	75-85	221	269	330	420	535	805

See page 70-71 for Shaft Trim Charts. S2S Superlite R, S flexes – Chart C. Balance Point measured from Butt End.



# S2S SHAFT TRIMMING

The following charts of the standard shaft trimming guidelines for all of the S2S Shaft to Swing fitting system designed shafts from Wishon Golf. These tip trimming guidelines may certainly be altered for custom fitting purposes for each golfer.

As always please check these trimming charts every year because we do adjust and change trimming guidelines for our shafts from year to year based on our ongoing research.

## WOOD SHAFT TRIMMING

USE TRIM CHART A FOR WOOD SHAFTS:



- WHITE R, S Flexes
- RED R, S Flexes
- BLACK 65 R, S Flexes
- BLACK 85 R, S, X Flexes
- BLUE 55 R, S Flexes

TRIM CHART A

Clubhead	Standard Tip Trim	Butt Trim
Driver	0"	To Length
2w	1/2"	To Length
3w	1"	To Length
4w	1 1/2"	To Length
5w	2"	To Length
7w	2 1/2"	To Length
9w	3"	To Length
11w	3"	To Length

USE TRIM CHART B FOR WOOD SHAFTS:



- GREEN R Flex; (add 2" to all entries for S Flex)
- GREEN AA (L) Flex; (add 2" to all entries for A Flex)
- WHITE A Flex
- BLUE 45 AA, A Flexes
- RUBY LITE AA, A Flexes

TRIM CHART B

Clubhead	Standard Tip Trim	Butt Trim
Driver	0"	To Length
2w	3/8"	To Length
3w	3/4"	To Length
4w	1 1/8"	To Length
5w	1 1/2"	To Length
7w	1 7/8"	To Length
9w	2 1/4"	To Length
11w	2 1/4"	To Length

## VARIATIONS

Increasing the tip trim by 1/2" will result in a slightly firmer feel but will have no significant effect on launch angle and spin. Increasing tip trim by 1" will result in a more noticeable increase in shaft stiffness but will only begin to show a slight decrease in launch angle and spin, only for golfers with a later release.

Decreasing the tip trim by 1/2" will result in a slightly more flexible feel but will have no real effect on launch angle and spin. Decreasing tip trim by 1" will result in a more noticeable increase in shaft flexibility but will only begin to show a slight increase in launch angle and spin, only for golfers with a later release.

NOTE 1: If the golfer being fit with any of the above shafts has a stronger Transition and faster Tempo, use Chart A.  
NOTE 2: Use the 5-wood tip trim for the 730CL Long Fairway Wood; Use the 9 wood tip trim for the 730CL High Fairway Wood.

## IRON SHAFT TRIMMING

USE TRIM CHART C FOR IRON SHAFTS:

**S2S**

WHITE	R, S Flexes
RED	R, S Flexes
BLACK 85	R, S Flexes
BLUE 55	A, R Flexes
SMOOTH STEEL	R, S Flexes
SUPERLITE STEEL	R, S Flexes

TRIM CHART C

Clubhead	Standard Tip Trim	Butt Trim
2-iron	0"	To Length
3-iron	1/2"	To Length
4-iron	1"	To Length
5-iron	1 1/2"	To Length
6-iron	2"	To Length
7-iron	2 1/2"	To Length
8-iron	3"	To Length
9-iron	3 1/2"	To Length
PW/48	3 1/2"	To Length
AW/52	4"	To Length
SW/55,56,58	4"	To Length
LW/60	4"	To Length

USE TRIM CHART D FOR IRON SHAFTS:

**S2S**

WHITE	A Flex
BLUE 55	AA Flex
GREEN	AA (L) Flex (add 1" for Green A Flex)
GREEN	R Flex (add 2" for Green S Flex)

TRIM CHART D

Clubhead	Standard Tip Trim	Butt Trim
2-iron	0"	To Length
3-iron	3/8"	To Length
4-iron	3/4"	To Length
5-iron	1 1/8"	To Length
6-iron	1 1/2"	To Length
7-iron	1 7/8"	To Length
8-iron	2 1/4"	To Length
9-iron	2 5/8"	To Length
PW/48	2 5/8"	To Length
AW/52	3"	To Length
SW/55,56,58	3"	To Length
LW/60	3"	To Length

USE TRIM CHART E FOR HYBRID SHAFTS:

**S2S**

WHITE HYBRID	A, R, S Flexes
BLUE 55 HYBRID	AA, A, R Flexes
BLACK HYBRID	R, S Flexes
RED HYBRID	R, S Flexes
RUBY LITE	AA, A Flexes

NOTE 1: Ruby Lite Wedge Shaft - 0" tip trim for AA Flex; 1" tip trim for the A Flex; Butt trim to desired playing length

TRIM CHART E

Clubhead	Standard Tip Trim	Butt Trim
2-Hybrid	0"	To Length
3-Hybrid	1/2"	To Length
4-Hybrid	1"	To Length
5-Hybrid	1 1/2"	To Length
6-Hybrid	2"	To Length
6/7-Hybrid	2"	To Length
8/9-Hybrid	2 1/2"	To Length

## S2S RUBY LITE TRIM CHART

Clubhead	A Flex Tip Trim	AA(L) Flex Tip Trim	Butt Trim
Driver	0"	0"	To Length
Long Fwy	1"	1"	To Length
High Fwy	2"	2"	To Length
5 Hybrid	1 1/2"	1 1/2"	To Length
6/7 Hybrid	2"	2"	To Length
8/9 Hybrid	2 1/2"	2 1/2"	To Length
5 iron	1 1/2"	1 1/2"	To Length
6/7 Iron	2"	2"	To Length
8/9 Iron	2 1/2"	2 1/2"	To Length
PW	1"	0"	To Length
DW	1"	0"	To Length

NOTE: S2S Ruby Lite Wood and Hybrid Iron Shafts are Discrete flex; S2S Ruby Lite Wedge Shaft is an AA/A combination flex shaft.

## S2S 730CL STANDARD ASSEMBLY CHART

Clubhead	Men	Women
Driver	43 - 44"	42 - 43"
Long Fwy	41 1/2" - 42 1/2"	40 1/2" - 41 1/2"
High Fwy	40" - 41"	39 1/2" - 40"
5 Hybrid	37 1/2" - 38"	36 1/2" - 37"
6/7 Hybrid	36 1/2" - 37"	35 1/2" - 36"
8/9 Hybrid	35 1/2" - 36"	34 1/2" - 35"
5 iron	37 1/2" - 38"	36 1/2" - 37"
6/7 Iron	36 1/2" - 37"	35 1/2" - 36"
8/9 Iron	35 1/2" - 36"	34 1/2" - 35"
PW	35" - 35 1/2"	34" - 34 1/2"
DW	34 1/2" - 35"	33 1/2" - 34"

NOTE: The reason we offer a length range for the 730CL assembly is to correspond to golfers who may play better with a shorter or a little longer length as dictated by their wrist-to-floor measurement and playing ability. In all cases when building the 730CL clubs to the shorter lengths, more weight will have to be added to the clubheads using the weight bore in the hosel and weight bore in the sole.

# GOLF BAGS

Two new Wishon golf bag models (Stand/Carry and Cart/Trolley), both featuring lightweight designs and additional features. Ideal for promoting the Wishon brand on the course.



## STAND/CARRY BAG

NEW FOR 2019

#TW165-19-STAND

- Carry Handle
- Dual Shoulder Strap
- 5-Way Divider
- Full Base Stand Mechanism
- Full-length Clothing Pocket
- Scorecard & Pen Pocket
- Cooler Pocket
- Waterproof Valuables Pocket
- Rain Hood with zip access
- Umbrella Holder



## CART/TROLLEY BAG

NEW FOR 2019

#TW165-19-CART

- Carry Handle
- Shoulder Strap
- 15-Way Divider
- 2 Full Length clothing pockets
- Cooler Pocket
- Rain hood with zip access
- Umbrella Holder






# GRIPS

ORIGINAL WISHON GOLF GRIP DESIGNS...  
TO COMPLIMENT YOUR WISHON CUSTOM FIT GOLF CLUBS

All rubber V-Series are Wishon Golf's most popular grips, molded from a new rubber compound for the right combination of tactile feel and durability. Features Wishon's larger lower-hand diameter size


V-Series Burgundy rubber grips provide a great cosmetic match to the assembly of the model 730CL clubs and sets



V-SERIES CLASSIC BLACK PROFILE:  
MEN'S STANDARD/OVERSIZE/WOMEN'S STANDARD



RED/BLACK MEN'S STANDARD



BURGUNDY WOMEN'S STANDARD TO MATCH 730CL SET

Grip	Grip Size/Color	Upper Hand Dia. (2")	Lower Hand Dia. (2")	Weight	Core
401-Men-Std	Men's Std - Black/Silver	0.915"	0.835"	50g	0.600"
401-Men-R/B	Men's Std - Black/Red	0.915"	0.835"	50	0.600"
401-Ovz	Men's Oversize - Black/Silver	0.940"	0.855"	56	0.600"
401-Lady	Women's Std - Black/Silver	0.855"	0.765"	46	0.580"
401-Red-Lady	Women's Std - Burgundy/Silver	0.855"	0.765"	46	0.580"

\*See Page 54 for all Wishon Golf putter grips

NOTE: V-Series Oversize grips are made with black paint fill in the end cap. V-Series Men's Std grips are made with SILVER paint fill in the end cap.

# ACCESSORIES



## STRIPE HEADCOVERS

NEW FOR 2019

DRIVER	FAIRWAY	HYBRID
#TW163-DR	#TW163-FW	#TW163-HY

A brand-new 'stripe' headcover design. High quality with fleece lining and striking colour highlights.

## PUTTER HEADCOVERS

NEW FOR 2019

### MALLET PUTTER NEW

#TW163-PUTMA

Fits models 2,3,4 in the Cavity Black series.  
Suitable for both RH & LH.




### BLADE PUTTER NEW

#TW163-PUTBL

Fits the new Cavity Black Model 1 (#TWCB-1;  
TWCB-1LH). Suitable for both RH & LH.





## BALL MARKER

NEW

#TW155-BMT

Nickel based, metallic ball marker with enamel. Double sided with Wishon logo on top side and bold target design on reverse.

## PITCHFORK

NEW

#TW155-PF

Quick release, retractable pitchfork. Features magnetic, detachable ball marker.



RED, BLACK  
& WHITE

DRIVER  
#TW161-RWB-DR

FAIRWAY  
#TW161-RWB-FW

HYBRID  
#TW161-RWB-HY



RED, BLACK &  
SILVER NEOPRENE

DRIVER  
#TW160-RED/BLK-DR

FAIRWAY  
#TW160-RED/BLK-FW

HYBRID  
#TW160-RED/BLK-HY

## STERLING HYBRID



#TW162-HYB

Peter Millar is one of today's fastest growing and most sought after brands in the lifestyle apparel market. Known for uniquely proper clothing, the Peter Millar line embraces a classic, old-world style resplendent in sharp detail, superb craftsmanship, and only the highest quality materials available.

## WISHON APPAREL BY PETER MILLAR



### JERSEY POLO SHIRT

This exceptional solid e4 performance polo is lightweight, breathable, quick drying and stretches four ways for maximum comfort. Exceptional gram weight of fabric to prevent torque.

Stay cool in the moisture-wicking jersey and enjoy the easy-care finish.

#### DETAILS & FIT

- Men's 92% polyester, 8% spandex single jersey knit polo
- Sean self collar
- Performance friendly fit
- UPF 50+ sun protection
- Trocas shell buttons
- Machine wash cold with like colors; tumble dry low

AVAILABLE IN BLACK OR WHITE

SIZES: S, M, L, XL, XXL

#TWMCOEK01S-BLK

#TWMCOEK01S-WHT



## QUARTER ZIP VEST & LONG SLEEVE

This vest was designed with a moisture-wicking two-yarn system that moves moisture to the surface for quick-drying performance. This fabric features UPF 50+ sun protection and four-way stretch for increased comfort and mobility. Styled with a banded hem and a vertical zip closure, this vest pairs well with sport shirts and polos.

### DETAILS & FIT

- Men's 89% microfiber polyester/11% spandex vest
- Athletic fit: we recommend ordering next size up for a classic fit
- Stretch French terry
- Machine wash cold with like colors; tumble dry low

### AVAILABLE IN BLACK OR WHITE

SIZES: S, M, L, XL, XXL

### QUARTER ZIP LONG SLEEVE:

#TWMCOEK40-BLK  
#TWMCOEK40-WHT

### QUARTER ZIP VEST:

#TWMCOEK41-BLK  
#TWMCOEK41-WHT



## COOL TECH CAPS

### AVAILABLE IN BLACK OR WHITE

#TWL4-CT-BK  
#TWL4-CT-WH

- Breathable and moisture wicking
- Lightweight, durable material
- Contrast-colour peak sandwich piping
- Fully adjustable rear fastener
- 100% Polyester



## PRO-FIT CAPS

### AVAILABLE IN BLACK OR WHITE

#TWL4-PF-BK  
#TWL4-PF-WH

- Structured front facing panels
- Fitted for maximum comfort
- Colour-matched peak, eyelets and dome
- 100% Cotton





# FERRULES

All Wishon clubheads and ferrules are designed to perfectly match their respective diameters, so there is no filing, sanding or cloth belt buffing needed. Simply note the wood, iron or wedge hosel’s outside diameter (OD) on each clubhead model and choose the matching ferrule.

## FERRULE SELECTION TIPS

- All Wishon design titanium drivers are designed with a 13mm Hosel Outside Diameter (OD)
- All Wishon model fairway woods and the 335HL hybrids are designed with a 12.3mm hosel OD
- All Wishon investment cast irons and wedges are designed with a 13.2mm hosel OD
- 775HS #2-6 and 590DIH#2-4 use 121-HY
- Wishon forged Carbon Steel iron models 575MMC and 565MC are designed to match the #125-IR ferrule

Tech Note: Always check the Hosel OD of the clubhead before selecting a ferrule to match

## WOOD FERRULES



12.3mm Wood  
.335"  
#122-WD-STD



13mm Driver  
.335"  
#122-WD-TI



12.3mm Wood  
.335"  
#121-WD-STD



13mm Driver  
.335"  
#121-WD-TI



12.3mm Wood  
.335"  
#127-WD-STD



13mm Driver  
.335"  
#127-WD-TI

## IRON FERRULES



13.2mm Iron  
.370"  
#122-IR



13.2mm Iron  
.370"  
#123-IR



13.2mm Iron  
.370"  
#121-IR



13.8mm Iron  
565MC, 575MMC  
#125-IR



13.2mm Iron  
.370"  
#127-IR



13.8mm Hybrid/Iron  
.335"  
775HS & 730CL Irons  
#121-HY-IR

## MEDALLIONS

Available in singles or packs of 6 to have replacements in your shop to cover the 2nd weight bore on Wishon clubhead models. Black/Silver or Red/Silver (730CL clubheads).



- #TW115-BLK/SILVER
- #TW115-RED/SILVER
- #TW115-BLK/RED

## CARBIDE ENDMILL DRILL BIT



CONVERTS TO PARALLEL  
.370 HOSEL  
#TWSDB-370

Durable, Carbide Endmill drill bit, specifically for boring to a parallel .370 hosel.

We recommend this drill bit for customers wishing to convert a tapered iron hosel to parallel, or for changing Wishon Hybrid hosels with .335 bore.

## WISHON GOLF WEIGHTS & WEIGHT BORE PLUGS

Exclusively for use with Wishon’s Weight Bores. Weight plugs fit all Wishon driver, wood, iron and wedge models. Tungsten 9g Shaft Tip Weights fit any shaft model.

ITEM #	DESCRIPTION
#TW100-2	12 x 2g Brass Weight (1 Swt Pt)
#TW100-4	12 x 4g Brass Weight (2 Swt Pts)
#TW100-6	12 x 6g Tungsten Weight (3 Swt Pts)
#TW100-9	12 x 9g Tungsten Weight (4.5 Swt Pts)
#TW100-ASST	3 x 2g, 3 x 4g, 3 x 6g, 3 x 9g
#TW100-TIP-9	Tungsten 9g Shaft Tip Weight (graphite wood and irons)



## LABELS

- Custom Club Label per doz. #TW150-C
- Custom Putter Label per doz. #TW150-PT
- Custom Wedge Label per doz. #TW150-WG



## EUROPE

### AUSTRIA

#### Golf Service

Contact: Günther Hauser  
Aschergasse 58  
A-1130 Wien  
Tel: 0676 741 4183  
Email: hausergolf@aon.at

### GERMANY

#### True Custom Fitting Golf

Contact: Jason Ammon  
Auf der Kümme 25  
56321 Rhens  
Germany  
Tel: +49 (0) 1522-899 5139  
Email: info@tcfkgolf.com  
Web: www.tcfkgolf.com

### FRANCE

#### Golf N Swing

Contact: Andre Thaon  
16 Avenue General LeClerc  
Le Pecq, France 78230  
Tel: +33 (0) 139 161 860  
Email: golfnswing@gmail.com  
Web: www.golfnswing.com

### BELGIUM, NETHERLANDS LUXEMBOURG

#### Wishon Golf Benelux

Contact: Bram Holshuijsen  
Houterven 37  
6085DD Horn  
Netherlands  
Tel: +31 (0) 475 510747  
Email: abram@diamondgolf.co.uk  
Web: www.golfnswing.com

### SWEDEN, DENMARK, NORWAY, FINLAND

#### Wishon Golf Nordic

Contact: Peter Qvarfordt  
Mailing Address:  
Wilprod GolfAgenturer AB  
Bränneslyckevägen 6  
26376 Nyhamnsläge  
Sweden  
Tel: +46 (0) 703 190 596  
Email: peter.qvarfordt@wishongolf.se  
Web: www.wishongolf.se

Visiting Address:  
Skårevägen 60 (Hus C)  
65350 Karlstad  
Sweden

## INTERNATIONAL DISTRIBUTORS

### KOREA, TAIWAN, SOUTHEAST ASIA

#### Golf Mechanix, Inc

Contact: Aimen Latiri  
No. 781 Fong Lin Road  
Section 4, Ta-Liao District  
Kaohsiung, Taiwan, R.O.C. 831  
Tel: 886 7 643 6516  
Email: sales@golfmechanix.com  
Web: www.golfmechanix.com  
www.pcstore.com.tw/lgolf/

## CONTACT US

Tel: +44 (0)1903 726999  
0800 083 7388 (UK Freephone)  
844-552-3437 (USA Tollfree)  
1-844-552-3437 (Canada Tollfree)

Email: sales@wishongolf.com

Wishon Golf,  
U4/U5 Rudford Industrial Estate,  
Ford Road, Ford, Arundel,  
West Sussex, England  
BN18 0BF





WISHONGOLF.COM



@WISHONGOLF



/WISHONGOLF



/WISHONGOLF



/WISHONGOLFVIDEO